9383443

JAN 1 6 190

Mr. Jan Brill Pairfield American Corporation Prenchtown, NJ 08825

Dear Mr. Brill:

Subject: Revised Labels

Tetralate Molti-Purpose Insecticide S.E.C.

EPA Registration No. 4816-470

Your Submission Dated December 19, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The labeling submitted July 3, 1990, is not acceptable since you did not include the required Environmental Hazards text from the Resmethrin Registration Standard. Submit an updated Confidential Statement of Formula and Generic Data Exemption Form, if appropriate, as required in the Registration Standard.

The claim for mealybug and leafminer on ornamental plants is accepted under this registration and may be used on labeling in commerce.

Sincerely yours,

FFFhil Mutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (87505C)

Englosure

50569:1:A-4:Schroeder:L17-1:KEVRIC:1/10/91:2/4/91:tlc:wo:ek

<u> </u>	- 3			
7 . 5	- E		CONCURRENCES	
SYMBOL	\$	s Se		
SURNAME	Ì	ĕ	·	
DATE	Ž	3		
BPA Fait 1320-1 (12-70) = 3	8	5.7	•	OFFICIAL FILE COPY

# TETRALATE®

# MULTI-PURPOSE INSECTICIDE S.E.C.

EPA Reg No. 4816-470

EPA Est. No. 279-NY-1

- Combining Two Highly Active Synthetic Pyrethroid Compounds
- \* A Water Emulsifiable Insecticide Concentrate
- For Use in Bakeries, Bottling Plants, Canneries, Flour Mills, Food Processing Plants, Hospitals, Hotels, Restaurants, Schools, Horse Barns, and on Ornamental Plants in Homes, Gardens and Greenhouses.

#### ACTIVE INGREDIENTS

*Tetramethrin	2.50
Related Compounds	
	2.50
Related Compounds.	0.46
	94.20
	100.009

\*1-Cyc!ohexene-1,2-dicarboximidomethyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate

"Contains Petroleum Distillate

TETRALATE - Registered Trademark of Fairfield American Corporation.

### KEEP OUT OF REACH OF CHILDREN

# **CAUTION**

## STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED. Contact a physician or Poison Control Center immediately. Do not induce vomiting. Vomiting may cause aspiration pneumonia.


IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove con aminated clothing and wash affected areas of skin with spap and water. Contact a physician if imitation persists.

IF IN EYES: Flush with plenty of water. Contact a physician if initiation persists

See side panel for additional precautions.

NET CONTENTS



#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Water dilutions should be prepared at room temperature. Exposure to low temperatures may cause cloudiness or crystalization.

#### **SURFACE SPRAY**

This concentrate should be diluted with water before use, at a rate of 1 part concentrate to 9 parts water. The diluted spray should be applied in conventional, mechanical or compressed air spraying or fogging equipment. It is not recommended for use in thermal generating equipment.

To control Cockroaches, Ants, Spiders, Silverlish, Crickets, Centipedes, Esrwigs, Sowbugs and Grain Mites: Apply as a coarse droplet spray, directed into cracks, crevices and other hiding places, along baseboards, around the bases of machinery and under pullots. Treat all returned bottle cartons and cases. Spray thoroughly, contacting insects directly whenever possible. Spray badly infested areas whenever possible. Spray badly infested areas daily. In other areas, repeat treatment twice weekly or when reinfestation occurs.

#### **SPACE SPRAY**

This concentrate should be diluted with water before use, at a rate of 1 part concentrate to 19 parts water. The diluted spray should be applied in conventional, mechanical or compressed air spraying or fogging equipment. It is not recommended for use in thermal generating equipment.

To control *Houseflies, Mosquitoes, Gnats* and *Flying Moths:* Close doors and windows and shut off ventilating systems. Apply as a fog or fine mist directing the spray toward the upper portions of the room and toward windows and other light sources which attract these insects. Thoroughly fill the area with mist using 1/2 to 1 ounce per 1000 cubic feet of space. Keep area closed for at least 10 minutes. Vacate after treatment and ventilate before reoccupying. Repeat treatment as needed.

#### **ORNAMENTAL PLANTS**

Dilute this concentrate at the rate of 1 part material to 79 parts water. To control Aphilds, Two-spotted Spider Mites and Adult Whiteflies on omamental house and garden plants (African Violet, azalea, Christmas cherry, chrysanthemum, cineraria, diffenbachia, fuschia, gloxinia, ivy, lantana, Neathe bella palm, petunia, rose and snapdragon and on outdoor plants such as azalea, chrysanthemum, euonymus, ivy, marigold, petunia, rose, snapdragon and zinnia). Apply as a

fog or fine mist, spraying plants with a that the mist drifts into the plants. Dire upper and lower portions of leaves are con new growth and tender foliage. We spray when air is still. Repeat as necess

To control Gypsy Moths and Caterpilla Caterpillars, Canker Worms, Garden above pests on ornamental trees, spra spray bearing fruit trees.

IN HORSE BARNS AND ON HORSES: Dilute 1 part concentrate with 19 parts of fine mist spray to stable area, and over horses to provide quick relief from annoy and gnats. May also be sprayed directly USE OR HORSES INTENDED FOR ITION.

#### STORAGE AND DISP

Do not contaminate water, food or feed by PESTICIDE STORAGE AND SPILL Plupight at room temperature. Avoid temperatures. In case of spill or leaks absorbent material such as sand, sawduletc. Dispose of with chemical waste. PESTICIDE DISPOSAL: Pesticide, spwater that cannot be used according to be disposed of at or by an approved was CONTAINER DISPOSAL: Triple rinse offer for recycling or reconditioning, or so in a sanitary landfill, or by other approcedures.

CONTAINERS ONE GALLON AND SM container. Wrap container in several lay discard in trash.

# PRECAUTIONARY STATHAZARDS TO HUMANS AND DO CAUTION

Harmful if swallowed. The use of this pring plants should be confined to time prise not in operation. Foods should be during treatment and thoroughly clear potable water before using. Wash all with soap and hot water before reuse and cover fish aquaria before spraying tals, patients must be removed from the aired for two hours prior to reentry.

San Roverns



This product is extremely toxic to fish. Do not apply directly to water or wedands (swamps, bogs, marshes, potholes). Runoff and drift from treated areas may be hazardous to aquatic organisme in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

Buyer assumes all risks of use, storage o: handling of this product not in strict accordance with the directions given horowith.

Rodenticide Act, as amended, for the posteride regimend 248/6-470