CODE 723.80 Wrenone M.A.G. 75-7.5 MOSQUITO INSECTICIDE

Highly Concentrated PYREMONE Insecticide

fith or Without Dilution

or Control of Adult Mosquitoes Outdoors or ndoors

TIVE INGREDIENTS

yrethrins	7.5%
iperonyl Butoxide, Technical	75.0%
NERT INGREDIENTS	
	100.0%

Equivalent to 60% (butylcarbityl)(6-propylpiperonyl) ether and 15% related compounds.

"Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

EPA Reg. No. 4816-473 EPA Est. No. 279-NY-1

PYRENCKE - Registered Trademark of Fairfield L. C. American Corporation

DIRECTIONS FOR USE

It in waiviglation of federal law to use this product in a manher inconsistent with its եռնվե<u>լից, 🙎</u>

This concentrate is especially recommended for application using medianical aerosol generating. To kill adult mosquitoes, fruit flies, and ULV equipment which produces spray particles in the 5 to 50 micron diameter range with 80% less than 30 microns. It may be used undiluted or diluted with 50 to 60 second viscosity oil.

OUTDOORS

or Application in Mechanical Aerosol Generators for best results, apply when there is a light breeze at approximately 5 miles per hour. Apply from the windward side so the fog will be carried across the area to be treated. Repeat treatment as required.

> Using truck-mounted equipment calibrated to deliver I ounce per minute, apply undiluted for A minute per acre. Diluted with 2 parts concentrate to 1 part oil, apply for 3/4 minute per acre at the same delivery rate. A 300 fout swath may be treated.

INDOORS

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should i be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Remove pets, birds and cover fish aquaria before spraying,

Close doors and windows and shut off ventilating systems. Apply this concentrate undiluted using mechanical aerosof generators. Keep area closed for a minimum of one hour. Vacate treated area and ventilate before reoccupying.

If used in Federally inspected meat or poultry processing plants, dilute with oil at no more than 8.5 fl. oz. to make one gallon (which will result in 5% synergist and 0.5% pyrethrins) and dispense from equipment adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

gnats: With generator calibrated to deliver I ownce per minute, discharge at a rate of 30 seconds per 1000 cubic feet of space. A peat treatment when reinfestation occurs.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of accord ing to Federal. State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANTHALS

CAUTION

Caution: Harmful if swallowed. Do not use or store near heat or open flame.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate lakes, streams or ponds by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein.

NET CONTENTS____

BATCH



AMERICAL

CORPORATION

1932 Satt Hows