. To control: Mosquito larvae

Dilute 15 fluid ounces of Pyrenone PCO Roach Concentrate in 5 gallons of oil and apply at a rate of 5 gallons per acre. Apply as a coarse wetting spray uniformly over wet lands, swamps, marshes, or shallow waters. Do not exceed this dosage or fish kill may result.

To kill wasps and bornets: Using dilution number 2 or 3, spray nests and surrounding surfaces with a jet spray pattern, if possible. Treatment at dusk is recommended when the air is calm and insects have returned to the nest.

STORAGE AND DISPOSAL

Do not contaminate water, food or feel by storage or disposed.

PERICIPE STREAM AND SPILL PROTITIONS: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, such up with an absorbent material such as saud, smokist, earth, fuller's earth, etc. Dispose of with chimical waste.

PISTICIDE DISMIGAL: Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility. CLETAINER DISMIGAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

anreful if swallowed. Remove pets, birds and cover fish aquaria before spraying. Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Bear protective clothing. Wash exposed skin surfaces with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and bot water

Do not apply as a space spray while food processing is underway. Except in Federally inspected meat and poultry plants, when applied as a -urface strat with care and in accordance with the directions and precautions given above, food processing operations may continue. Foods should be removed or covered before treatments. All surfaces in processing areas must be washed and rinsed

with potable water after spraying.

before reuse.

When using in animal quarters, do not apply directly to food, water or food supplements. Wash tests of dairy animals before milking.

STATUMENT OF PRACTICAL TREATMENT

If Swallowed: Contact a physician or Potson Control Center immediately. Do not induce vomiting unless directed by a physician. Vomiting may cause aspiration pneumonta. If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.

If in Fyes: Flush with plenty of water. Contact a physician if irritation persists. If on Skin: Remove contaminated clothing and wash affected areas of skin with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, be not apply directly to lakes, streams or pends, be not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Apply this product only as directed on this label.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given on this label.

DURSBAN - Registered trademark of The Dow Chemical Company



