Reg # 4816-478 PM-17 1983

Pyrenone®

CODE 722.00

PCO ROACH CONCENTRATE INSECTICIDE

EPA Reg. No. 4816-178 EPA Est. No. 279-NY-1

Provides flushing action, quick knockdown and kill for indoor and outdoor use.

For use in bakeries, beverage plants, canneries, food processing plants, hospitals, hotels, industrial facilities, meat packing plants, restaurants, schools, supermarkets and warehouses.

ACTIVE INGREDIENTS

Pyrethrins	1.5%
*Piperonyl Butoxide, Technical	7.5%
**INERT INGREDIENTS	91.0%
	100.0%

*Equivalent to min. 6.0% (butylcarbityl) (6-propylpiperonyl) ether and 1.5% related compounds.

**Contains Petroleum Distillate

PYRENONE AND BUTACIDE - Registered Trademarks of Fairfield American Corporation.

*Piperonyl Butoxide

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions

NET CONTENTS: _____

ACCEPTED

OCT 10 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act for the pesticide under EPA Reg. No. 4816-478

Printed in U.S.A.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

When diluting this concentrate, an odorless petroleum distillate is recommended. The following table is a guide to assist in making desired dilutions.

Dilution No.	Ingredient Percent Pyrethrins-Butacide®	Gallons of Spray	Required Amount of Concentrate	Required Amount of Petroleum Distillate
1	0.05 - 0.25	1 50	4 1/4 fl. oz. 1 2/3 gallons	123.75 fl. oz. 48 1/3 gallons
2	0.075 - 0.375	1 50	7 fl. oz. 2 1/2 gallons	121 fl. oz. 47 1/2 gallons
3	0.15 - 0.75	1 50	13 fl. oz. 5 gallons	115 fl. oz. 45 gallons
4	0.3 - 1.5	1 50	26 fl. oz. 10 gallons	102 fl. oz. 40 gallons
5	1 - 5	1 50	85 fl. oz. 33 1/3 gallons	43 fl. oz. 16 1/3 gallons

AS AN INDOOR CONTACT OR SURFACE APPLICATION

IN COMBINATION WITH RESIDUALS

To provide flushing and quick knockdown of insects Pyrenone PCO Roach Concentrate may be added to Diazinon or Dursban® in on-site tank mixtures. All directions for use, dilution and precautions for both products must be followed.

The use of such tank mixes with residual insecticides in food processing plants, or food handling establishments, should be confined to time periods when the plants or facilities are not in operation. These may not be used at any time in edible product areas of Federally inspected meat and poultry plants. Foods should be removed or covered during [illegible] should be covered during treatment and thoroughly [illegible] before restocking.

This concentrate should be used at dilution rate number 1 in the above chart and tank mixed with:

1 or 2 fl. oz. of Diazinon 4S to make 0.5% or 1% Diazinon or

1 1/3 or 2 2/3 fl. oz. of Dursban 2E to make a 0.25% or 0.5% Dursban

BEST AVAILABLE COPY

FAIRFIELD AMERICA CORPORATION

238 WILSON AVENUE