Reg. # 4816-48.3

PM - 14

53

300 S-475450

DEC 30 1994

Roussel Bio Corporation 95 Chestnut Ridge Rd. Montvale,, NJ 07045

Attention: Ms. Sharon Johnston

Subject: Tomato & Vegetable Insect Spray

EPA Registration No. 4816-483

Your amended application of February 2, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you make the following labeling changes:

- 1. Move your Storage and Disposal section after the use directions to avoid confusion.
- 7. For a homeowner product, you may delete "Do not contaminate water, food or feed by storage or disposal." Revise as follows:

Storage and Disposal

Storage: Store only in a cool, dry place

inaccessible to children and pets.
Do not store or transport below 32F.

Disposal: When empty, replace cap, securely wrap in

newspaper, and discard in trash. Do not

incinerate or puncture.

4. Structure your use directions as follows:

Directions for Use

It is ... with its labeling.

Use Restrictions:

For use only on the sites and pests listed below. Read entire label and apply as directed.

Application Directions:

For best results ... Japanese beetles.

You have 18 months to begin using this revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

If you have any questions about this letter, please contact Mr. Dan Peacock at 703-305-5407. Please note that the product manager handling this product has changed.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

EBP/v

Robert A. Forrest Product Manager (14) Insecticide Rodenticide Branch Registration Division (H7504C)

Enclosures: 1. Stamped label

2. A-79 Enclosure

Peacock WP#5:A:4816-483:305-5407,-6600:12/30/94

TOMATO & VEGETABLE INSECT SPRAY

- PROVIDES RAPID CONTROL OF INSECTS NAMED ON THE LABEL
- MAY BE USED ON FOOD CROPS TO WITHIN ONE DAY OF HARVEST
- CONTAINS TWO INSECTICIDES: PYRET IRINS AND ROTENONE (CUBE RESINS)

ACTIVE INGREDIENTS:

Pyrethrins	0.030%
*Piperonyl Butoxide, Technical	
Rotenone	0.128%
Other Associated Resins	. 0.238%
INERT INGREDIENTS	99.444%
	00.000%

*Equivalent to min. 0.0128% (butylcarbityl) (6-propylpiperonyl) ether and 0.032% related compounds.

EPA Reg. No. 4816-483

EPA Est. No.

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with water for 15 minutes. If irritation

p. isists, consult a physician.

IF INHALED: Remove victim to fresh air. Apply

respiration if indicated.

See Side Panel For Additional Precautions

NET CONTENTS:

Roussel Uclaf Corporation

95 Chestnut Ridge Road

Montvale, NJ 07645

Under the Federal Insections, Fundedda, and Rodenticide Ada an assessful, for the postional registered randor EPA Box. Ru.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Keep out of reach of children. Harmful if swallowed or inhaled. Avoid breathing spray or contact with eyes or skin. Wash thoroughly after use. Do not contaminate feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to equatic organisms in adjacent sites.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate containers. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry area. Do not transport or store below 32*F.

Container Disposal: Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

Read entire label and apply as directed.

Shake well before using.

For best results, use throughout the growing season to prevent buildup of insect populations. Spray plants from a distance of 1½ to 2 feet using short bursts (one second). To prevent injury to plants, avoid visibly wetting the foliage.

Apply in the early morning or late evening when the air is still, treating all foliage with particular attention to the undersides of the leaves. Contact insects directly whenever possible. Repeat applications at 7 to 10 day intervals or after heavy rains. Do not apply to food crops within one day of harvust.

USE ON: asparagus, beans, broccoli, cabbage, brussels sprouts, cauliflower, celery, cranbernes, grapes, cucumbers, melons, squash, eggplants, lettuce, mustard greens, kale, collards, turnips, peppers, potatoes, radishes, spinach, strawbernes, sweet com, tomatoes and watermelon.

TO CONTROL: asparagus beetles, aphids, leafhoppers, whiteflies, Mexican bean beetles, 12-spotted cucumber beetles, cabbage loopers, cross-striped cabbageworms, diamondback moth caterpillars, flea beetles harlequin bugs, imported cabbageworms, stink bugs, green peach aphids, leaftiers, fireworms, blister beetles, Colorado potato beetles, webworms, Japanese beetles, leaf beetles, leaf rollers, striped cucumber beetles, horrworms.

USE ON ORNAMENTALS: African violets, asters, exaleas, begonias, camellias, camations, chrysanthemums, dahlias, dogwood, geraniums, glacioli, marigolds, roses, rubbe, p.an.s. and wandering Jew.

TO CONTROL: ephids, flea beetles, leafhoppers, whitefles, gypsy moth caterpillars and adults, tent and locest caterpillars, and adult Japanese beetles.

NOTICE. Buyer assumes all responsibility for safety and use not in accordance with directions

· Siles