Reg. # 4814-48:

11-1-14

PA-18

196



JUN 9 1994

SHARON M. JOHNSTON ROUSSEL UCLAF CORP. 95 CHESTNUT RIDGE ROAD MONTVALE, NJ. 07645

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Subject:

Label Amendment Submission of 05/09/94 Response to PR Notice 93-7

EPA Reg. No. 4816-485

**RO-KILL SPRAY** 

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

#### WHAT THIS ACCEPTANCE MEANS:

based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

#### WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling AND
- WITHIN one year from date of this acceptance.

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,

Tim Fompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Attachment

## AO-KIL SPRAY

# ACTIVE INGREDIENTS: 5.0% Rotenone 5.0% Other Cube Resins or Extractives 90.0% INERT INGREDIENTS 100.0%

EPA Reg. No. 4816-485

EPA Est. No.

# KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautions

NET CONTENTS:

Roussel Uclaf Corporation 95 Chestnut P dge Road Montvale, NJ 07645

and COMMENTS a FPA Letter Dated

JUN 5 1966

Under the Federal Insecticide. Fundante and Budenticide Act as somuled, for the positivity of Fix Res. No.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed inhaled or absorbed through the skin. 4.55 breathing of dust. Avoid contact with skin

Applicators and other handlers must wear

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE, if no such instructions for washables, use detergent and not water. Keep and wash PPE separately from other laundry

#### USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside.
   Then wash thoroughly and put on clean clothing.

#### ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is poisonous to fish. Keep cut of lakes, poncs and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor crift from the areas treated. Do not apply where ruri-cff is likely to occur. Apply this product only as specified on the label.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bags should be buried with wastes or burned. Keep out of smoke.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only ; rotected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and grownhouses and handlers of agricultural pesticides. It is aims requirements for training, decontamination, no fication, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection 5 andard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coverails
- · Waterproof gloves
- · Shoes plus socks

Fill the spray tank two-thirds full of water, start agitator running, slowly sift directly into the water the required amount of this material (do not wash through screen). Add the required amount of oil and finish filling tank with water. Let mixing continue in the tank for 5 minutes or until completely mixed, before applying spray.

CHERRY FRUIT FLY: Cherry Fruit Fly on Cherries - Use at the rate of 3 pounds per 100 gallons of water in full coverage applications (apply a minimum of 300 gallons but not over 650 gallons per acre). Spray at 10 day intervals beginning with emergence of flies continuing until harvest. Do not apply within 1 day of harvest.

**BLACK SCALE:** Black Scale on Oranges, Lemons and Grapefruit - Use 8 to 12 pounds and 12 to 16 gallons of Light Medium Soluble Oil or Light Medium Emulsion Oil in 500 gallons of water per acre by ground sprayer. Treat after completion of hatch - August through October Do not apply within 1 day of harvest.

CITRUS APHIDS: Citrus Aphids on Oranges, Lemons, and Grapetruit - Use 5 to 8 pounds and 5 to 10 gallons of Light Medium Soluble Oil or Light Medium Emulsion Oil in 500 gallons of water per acre by ground sprayer. Apply when Aphids appear and repeat as required. Do not apply within 1 day of harvest.

For Emergency Assistance Call xxx-xxx-xxxx

Dealer Should Sell in Original Packages Only

Terms of Sale or Use on purchase of this product buyer and user agree to the following conditions.

WARRANTY: Roussel Uclaf Corporation makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

DIRECTIONS AND RECOMMENDATIONS. Fellow directions carefully Timing and method of application, weather and crep conditions, mixture with other chemicals not openitically recomminded and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his civin risk.

USE OF PRODUCT. Roussel Uctal Corporation's recommendations for the use of this product are based upon tests believed to be reliable.

The use of this product being beyond the control of the manufacturer no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

DAMAGES. Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

### **RO-KIL SPRAY**

EPA REG. NO. 279-378 ZA	INSECTICIDE	EPA Est 279-CA-1
ACTIVE INGREDIENTS. Rotehole		BY MT 5 00% 5 00% 90 00%

### CAUTION

#### KEEP OUT OF REACH OF CHILDIAN

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of dust. Avoid confact with skin. Wees class cioting

#### DIRECTIONS FOR USE

Fill the spray tank two-thirds full of water, start agitator running, slowly sift directly into the water the required amount of this material (do not wash through screen). Add the required amount of oil and finish filling tank with water that mixing continue in the tank for 5 minutes or until completely mixed, before applying spray.

CHERRY FRUIT FLY: Cherry Fruit Fly on Cherries — Use at the rate of 3 pounds per 190 gallons of water in full coverage applications (apply a minimum of 300 gallons but not over 650 gallons per acre). Spray at 10 day intervals beginning with emergence of flies continuing until harvest. Do not apply within 1 day of harvest.

BLACK SCALE; Black Scale on Oranges, Lemons, Limiter, and Grapefruit — Use 8 to 12 pounds of Ro-Kil Spray, ; lus 12 to 16 gallons Light Medium Soluble Oil or 12 to 16 gallons Light Medium Emulsion per 500 gallons of water per acre by ground sprayer. Treat after completion of hatch — August through October Do not apply within 1 day of harvest CITRUS APHIDS: Citrus Aphids on Designation 1 Just 5 to 8 pounds of Ro-Kil Spray plus 5 to 10 gallons Light Soluble or Light Medium Soluble on per 500 gallons of water per acre by grind sprayer Apply when Aphids appear and repeat as required. Do not apply within 1 day of harvest

#### **ENVIRONMENTAL AND DISPOSAL CAUTIONS**

This product is poisonous to fish. Keep out of takes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. Apply this product only as specified on the label.

DISPOSE OF WASTES by burying in non-crop land away from water supplies. Empty bags should be buried with wastes or burned. Keep out of smoke.

#### For Emergency Assistance Call: 716-735-3765

Dealer Should Sell In Original Packages Only Terms of Sale or Use on purchases of this product buyer and user agree to the following

Terms of Sale or Use on purchases of this product buyer and user agree to the following conditions:

Warranty FMC makes no warranth, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is confrary to label instructions.

Directions and Recommendations. Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product FMCs recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages. Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages



#### **FMC Corporation Agricultural Chemical Division**

MIDDLEPURT, N.Y. FRESNO, CA.

YAKIMA, WA RICHMOND, CA

Printed in U.S.A.

RO-KIL SPRAY - Anial Increased Rate EPA Reg. No. 279-378

)

Black Scale on Oranges, Lemons and Grapefruit - Use 8 to 12 pounds and 12 to 16 gallons of Light Medium Soluble Oil or Light Medium Emulsion Oil in 500 gallons of water per acre by ground sprayer.

Citrus Aphids on Oranges, Lemons, and Grapefruit - Use 5 to 8 pounds and 5 to 10 gallons of Light Medium Soluble Oil or Light Medium Emulsion Oil in 500 gallons of water per acre by ground sprayer.

ACCEPTED 279-2378