

Tetralate® Multi-Purpose Insect Killer

• In House and Garden for Control of Pests

ACTIVE INGREDIENTS:

*Tetramethrin	0.250%
**Resmethrin	0.106%
***INERT INGREDIENTS.....	99.644%
	100.000%

*1-Cyclohexene-1,2-dicarboxylic acid, methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate

**Cis/trans isomer content: Max. 30% (±) cis and Min. 70% (±) trans.

U.S. Patent No. 3,465,007

*** Contains Petroleum Distillate

TETRALATE - Registered Trademark of AgrEvo Environmental Health

EPA REG. NO. 4816-493

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT


IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

See Side Panel for Additional Precautionary Statements



NET CONTENTS:

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Cover or remove fishbowls for one hour. Do not use on or around animals.

Do not smoke while spraying.

Environmental Hazards

This product is extremely toxic to fish. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Store in a cool, dry area. Do not store or transport below 32°F.

Container Disposal: Wrap container in several layers of newspaper and discard in trash.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before reuse. When using the product in these areas, apply only when the facility is not in operation.

SHAKE BEFORE USE: Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF PESTS AROUND THE HOME FLYING INSECTS (*Flies, Mosquitoes, Gnats and Moths*): Direct spray at insects using short bursts (1-2 seconds) or treat unoccupied areas as follows: Close doors and windows. With a sweeping motion, direct spray upward to all parts of the room (2 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes and ventilate before reoccupying. Do not remain in treated areas.

5 87
CRAWLING PESTS (*Ants, Boxelder Bugs, Crickets, Earwigs and Sowbugs*): Spray into cracks or wood-work, walls, floors and other hiding and breeding places. Direct spray to contact pests when possible. Spray ant trails and areas around door sills and window frames.

WASPS and HORNETS: Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS: For control of *Aphids, Two-spotted spider mites* and *Adult Whiteflies* on ornamental house and greenhouse plants (African violets, aralias, Christmas cherries, chrysanthemums, cinerarias, diffenbachias, fuschias, gloxinias, ivy, lantanas, neanthe bella Palms, petunias, roses and snapdragons); and outdoor plants (azaleas, chrysanthemums, euonymus, ivy, marigolds, petunias, roses, snapdragons and zinnias). Spray plants with a slow sweeping motion so that mist drifts into plants. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors, spray when air is still.

For control of these pests as well as *Tent Caterpillars, Canker Worms*, and *Garden Webworms* on ornamental crabapples, cherries and plum trees, spray as above. Do not spray bearing fruit trees.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Agrevo Environmental Health
95 Chestnut Ridge Road
Montvale, New Jersey 07645