

AUG 27 1991

Mr. Jan Brill
Fairfield American Corporation
809 Harrison Street
Frenchtown, NJ 08825

Subject: Pyrenone Flexi-Dust
EPA Registration #4816-496
Submissions: August 13, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

We have reconsidered on point two of our June 28, 1991 letter. You may retain electrical equipment and electrical fittings as sites for this product without dielectric breakdown voltage testing.

Sincerely,

RFM
Richard F. Mountfort
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)

RSB

73

PYRENONE[®]

FLEXI-DUST

EPA REG. NO. 4816-496

EPA EST. NO. 279-NY-1

- * *Pyrenone[®] Provides Quick Insect Control*
- * *Controls Cockroaches, Crickets, Fruit Flies and Sixteen Common Garden Pests.*
- * *For use in Residences, Institutions, Food Plants, Canneries, On Stored Seed and Grain and On Vegetable and Ornamental Plants.*
- * *Protects Stored Grain and Seed from insect infestation.*

ACTIVE INGREDIENTS:

Pyrethrins 0.10%

*Piperonyl Butoxide, Technical 1.00%

INERT INGREDIENTS: 98.90%

100.00%

*Equivalent to min. 0.6% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.

PYRENONE - Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Give nothing by mouth to an unconscious person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and water.

See reverse for additional precautionary statements.

NET CONTENTS: _____



FAIRFIELD
AMERICAN
CORPORATION
201 ROUTE 17 NORTH, RUTHERFORD, NJ 07070

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR CONTROL OF COCKROACHES, CRICKETS, SILVER-FISH, FIREBRATS AND CENTIPEDES

Using conventional dusting equipment, apply this product at 2 ounces per 100 square feet to all indoor areas where these pests may crawl or hide. Apply in cracks and crevices and hidden surfaces around, under and behind baseboards, cabinets, refrigerators, stoves, sinks, doors, pipes, windows, electrical fittings, electrical equipment and other possible harborages. Repeat application as required.

ON VEGETABLE AND ORNAMENTAL PLANTS

Pyrenone Flexi-Dust may be used throughout the growing season or as a preharvest treatment. Acceptable for use up to the day of harvest on edible plants when other insecticides are prohibited due to residue restrictions and use limitations. Apply dust uniformly to upper and lower leaf surfaces at the rate of 30 pounds of dust per acre. Treat only when the insects are present and repeat as required to maintain control.

CROP	TO CONTROL
ORNAMENTALS	Aphids, Flea Beetles, Leafhoppers, White Flies on: African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwoods, Geraniums, Gladiolus, Marigolds, Roses, etc.
ASPARAGUS	Asparagus Beetles
BEANS	Aphids, Leafhoppers, White Flies, Mexican Bean Beetles
BROCCOLI, BRUSSEL SPROUTS, CABBAGE, CAULIFLOWER	Aphids, Cabbage Loopers, Cross-striped Cabbageworms, Diamondback Moth Larvae, Flea Beetles, Harlequin Bugs, Imported Cabbageworms
CELERY	Green Peach Aphids, Leaf Tiers, Cabbage Loopers
CRANBERRIES	Fireworms, Leafhoppers
EGGPLANTS	Colorado Potato Beetles, Flea Beetles, Green Peach Aphids
LETTUCE	Cabbage Loopers, Green Peach Aphids, Diamondback Moth Larvae, Imported Cabbageworms
PEPPERS	Green Peach Aphids

POTATOES

RADISHES

SPINACH

TOMATOES

FRUIT FLY CONTROL

To control fruit flies on apricots, raspberries, grapes, prunes, melons and tomatoes. Dust fruits and vegetables in containers in the field. Repeat application as required. If the crop is picked and have been in the field overnight. If the crop is more than 20 hours, a repeat application is required but thoroughly.

STORED GRAIN PROTECTION

For use on corn, barley, rice and seeds in storage.

This product kills accessions particularly rice weevil and many insects in the bran of grain beetles. One treatment per season.

Treated grains require only human food and may be fed to animals. Corn may require cleaning for purposes.

Whole grains and seeds may be stored in normal storage. Treatments should be made into storage and before sale.

HOW MUCH TO APPLY:

be made at the rate of 8 ounces to 1 pound per 100 square feet well mixed with the whole grain. It can be applied to a moving conveyor. Small lots of grain may be mixed with a shovel or other suitable equipment.

On ear corn this insecticide should be applied specified above and should be applied to assure even distribution over alternate shallow

STORAGE & DISPOSAL

FOR CONTAINERS LARGER THAN 5 POUNDS:

Do not contaminate water, food or feed, by storage or disposal

STORAGE AND SPILL PROCEDURES: Store upright in original container at room temperature. Avoid exposure to moisture. In case of spill or leakage, sweep up and dispose of according to local and state chemical waste guidelines.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

FOR CONTAINERS 5 POUNDS AND SMALLER:

STORAGE: Store in original container in an area inaccessible to children and pets and away from heat and sunlight. Avoid exposure to moisture.

DISPOSAL: Do not reuse empty container. Wrap container in several layers of newspaper and put in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ACCEPTED

AUG 27 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 4816-496