TETRALATE GENERAL PURPOSE 0.25-0.25 INSECT KILLER

For Control of Residential, Industrial and Garden Insect Pests

CONTAINS A COMBINATION OF TWO NEW HIGHLY ACTIVE SYNTHETIC PYRETHROID COMPOUNDS

ACTIVE INGREDIENTS:

*Tetramethrin	0.250
Related compounds	0.034
(5-Benzyl-3-furyl)methyl 2,2-dimethyl	
-3-(2-methylpropenyl) cyclopropanecar-	
boxylate	0.250

Petroleum Distillate 8.800% 90.632%

*i-cyclohexene-f,2-dicarboximidomethyl 2.2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate

**Resmethrin - Cis/trans isomer content: Max. 30% (+) cis and min. 70% (+) trans. U.S. Patent No. 3,465,007

DOES NOT CONTAIN CHLOROFLUOROCARBONS

€PA Req. No. 4816-503 EPA Est. No. 279-NY-1.

22 DEC 1978

10graferen 3 EPA Bc

Keep Out Of Reach Of Children

CAUTION

See side panel for additional precautionary statements.

PRICAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Avoid breathing of vapor and skin contact. Avoid contact with eyes. In case of contact, flush with water.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before reuse. When using the product in these areas, apply only when the facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying.

Do not smoke while spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USF

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

DISPOSAL: Wrap container and put in trash collection.

See rear panels









CORPORATION

3932 Salt Road Medina, New York 14103 THAKE REFORE USE. Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF RESIDENTIAL AND INDUSTRIAL INSECTS
Flies, Mesquitoes, Gnats and Flying Moths: Direct
Spray at insects using short bursts (1 to 2 seconds) of treat unoccupied areas as follows:
Close doors and windows. With a sweeping motion, direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes. Do not remain in treated area. Ventilate area after treatment is completed.

WASPS and HORNETS: Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

Ants: Spray trails, nests and points of entry.

Spray on ants where possible. Repeat as necessary.

Roaches, Sowbugs, Boxelder Bugs, Centipedes, Earwigs, Crickets, Grain Mites and Spiders: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS
For control of aphids, two-spotted spider mites, and adult white flies on ornamental house and greenhouse plants (African violets, aralias, Christmas cherries, chrysanthemums, cinerarias, diffenbachias, fuschias, gloxinias, ivy, lantanas, Neathe bella palms, petunias, roses and snapdragons); and on outdoor plants (azaleas, chrysanthemums, euonymus, ivy, marigolds, petunias, roses, snapdragons and zinnias) Spray plants with a slow sweeping motion so that mist drifts into plant. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors, spray when air is still.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.