

Reg # 4816-503

PM-17

1/30/90

194

TETRALATE GENERAL PURPOSE
0.25- 0.25 INSECT KILLER

EPA REG. NO. 4816-503

CODE 826.65

EPA EST. NO. 279-NY-1

For Control of Residential, Industrial and Garden Insect Pests

CONTAINS A COMBINATION OF TWO NEW HIGHLY ACTIVE SYNTHETIC
PYRETHROID COMPOUNDS

ACTIVE INGREDIENTS:

*Tetramethrin.....	0.2500%
Related compounds.....	0.034%
**Resmethrin (5-benzyl-3-furyl)	
methyl, 2,2-dimethyl-3-(2-methyl-propenyl)	
cyclopropanecarboxylate.....	0.2500%
Related compounds.....	0.034%

INERT INGREDIENTS.....	99.432%
------------------------	---------

TOTAL:	100.000%
--------	----------

*1-cyclohexene-1,2-dicarboximidomethyl 1,1,1-trimethyl-2-(2-methylpropenyl) cyclopropanecarboxylate
 **Cis/trans isomer content: Max. 30% (+/-) cis and min. 70%
 (+/-) trans. U.S. Patent No. 3,465,007


TETRALATE - Registered Trademark of Fairfield American Corporation

BEST AVAILABLE COPY

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions.



Not Reviewed. Registrant claims to be in accordance with
 Reregistration of Pesticide Product Guidance for Phase 2
 Response, Page 2.12, Active to Inert Change in Status.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE. Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 12 inches from plants.

FOR CONTROL OF RESIDENTIAL AND INDUSTRIAL INSECTS: Flies, Mosquitoes, Gnats and Flying Moths: Direct spray at insects using short bursts (1 to 2 seconds) or treat unoccupied areas as follows: Close doors and windows. With a sweeping motion, direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes. Do not remain in treated area. Ventilate area after treatment is completed.

WASPS and HORNETS: Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

Ants: Spray trails, nests and point of entry. Spray on ants where possible. Repeat as necessary.

Carpet Beetles: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and anywhere these insects are seen or suspected. Repeat as necessary.

Fleas: Remove and destroy pet's old bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as necessary. Do not spray animals. Put fresh bedding in pets quarters after spray has dried. Also treat dogs and cats with a registered flea control product before allowing them to enter treated area.

Cockroaches, Sowbugs, Boxelder Bugs, Silverfish, Firebrats, Earwigs, Crickets, Grain Mites and Spiders: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

TO KILL EXPOSED STAGES OF: Confused Flour Beetles, Flat Grain Beetles, Flat Grain Beetles, Larder Beetles, Red Flour Beetles, Saw-Toothed Grain Beetles, Spider Beetles, Angoumois Grain Moths

BEST AVAILABLE COPY

Indian Meal Moths, Mediterranean Flour Moths, Tobacco Moths, Granary Weevils, Rice Weevils, Lesser Meal Worms, Meal Worms, Cadellies, Cheesemites, Cheese Skippers, Cigarette Beetles and Shiny Spider Beetles: Remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the area by removing before spraying. Apply spray directly on exposed stages of the listed grain pests and into cracks and crevices where they may be hiding.

FOR CONTROL OF PESTS ON ORNAMENTAL PLANTS: Aphids, Two-Spotted Spider Mites, and Adult Whiteflies on ornamental house and greenhouse plants (African violets, aralias, Christmas cactuses, chrysanthemums, cinerarias, difframbacinas, rupestris, ginkgos, ivy, lantanas, Neathe bella palms, petunias, roses and snapdragons); and on outdoor plants (azaleas, chrysanthemums, euonymus, ivy marigolds, petunias, roses, snapdragons and zinnias). Spray plants with a slow sweeping motion so that mist drifts into plant. Direct spr. so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors, spray when air is still.

STORAGE & DISPOSAL

STORAGE: Store in original container in a cool dry place inaccessible to children and pets and away from heat or flame.

DISPOSAL: Replace cap. Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Avoid breathing of vapor and skin contact.
Avoid contact with eyes.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly washed with an effective cleaning compound followed by a potable rinse before reuse. When using the product in these areas, apply only when the facility is not in operation.

Remove pets, birds, and cover fish aquariums before spraying.

Do not smoke while spraying.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Give nothing by mouth to an unconscious person.

IF ON SKIN: Remove contaminated clothing. Rinse affected skin area with water for 10-15 minutes. Contact a physician if irritation persists. Wash clothing before reuse.

BEST AVAILABLE COPY

...water for 15 to 20 minutes.
...irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY

933