

TETRALATE GENERAL PURPOSE PRESSURIZED SPRAY INSECT KILLER

CODE 82688

EPA Reg. No. 4316-808 EPA Est. No. 274-NY-1

A COMBINATION OF TWO HIGHLY ACTIVE SYNTHETIC PYRETHROID COMPOUNDS

ACTIVE INGREDIENTS

*Tetramethrin	0.250%
Related Comocunds	0.034%
**Resmethrin	0.100%
Related Comocunds	0.014%
***INERT INGREDIENTS	99.592%
	100.000%

*1-cyclohexene-1,2-dicarboxymidomethyl 2,2-dimethyl-3-(2-methylpropenyl), cyclopropanecarboxylate

**Cis/trans isomers ratio: max. 30% (+/-) cis and min. 70% (+/-) trans

***Contains Petroleum Distillate

TETRALATE- Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See side panel for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE

Point valve away from face and press button. Hold can at least 3 feet away from surfaces which may stain and 18 inches from plants.

FOR CONTROL OF PESTS AROUND THE HOME

flying insects (House Flies, Mosquitoes, Gnats and Small Flying Moths): Direct spray at insects using short bursts (1 to 3 seconds) or treat unoccupied areas as follows: Close doors and windows. With a sweeping motion, direct spray upward to all parts of the room. 3 to 10 seconds per 1000 cubic feet. Keep room closed for 15 minutes and ventilate before reoccupying.

CRAWLING PESTS (Cockroaches, Ants, Soldiers, Boxelder Bugs, Earwigs, Waterbugs, Palmetto Bugs, Centipedes, Millipedes, Scorpions and Sowbugs): Spray into cracks or woodwork, walls, floors and other hiding and breeding places. Direct spray to contact pests when

BEST AVAILABLE COPY

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

possible. Spray ant trails and areas around door sills and window frames.

BEES, WASPS, HORNETS AND YELLOW JACKETS: Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place inaccessible to children and pets. Exposure to temperatures above 100°F may cause bursting.

DISPOSAL: Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Avoid breathing of vapor or skin contact. Avoid contact with eyes. In case of contact, flush with water. Do not smoke while spraying. Do not use on or around animals. Cover or remove fish bowls for one hour.

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before reuse. When using the product in these areas, apply only when the facility is not in operation.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or poison control center immediately. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove affected person to fresh air. Administer artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas of skin with soap and water. Contact a physician if irritation persists.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, ponds, etc.). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 100° F may cause bursting.

BEST AVAILABLE COPY

383

Buyer assumes all risk of use, storage or handling of this material
not in strict accordance with directions given herewith.

BEST AVAILABLE COPY

9 2 3