

BIOTETRALATE 0.250-0.054 PRESSURIZED INSECTICIDE SPRAY

EPA Reg. No. 4816-509

EPA Est. No. 279-NY-11

FOR USE IN HOUSE AND GARDEN

FAST KNOCKDOWN WITH SYNTHETIC PYRETHROID

ACTIVE INGREDIENTS:

*Tetramethrin.....	0.250%
Related compounds.....	0.034%
d-trans (5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl)-cyclopropanecarboxylate....	0.054%
Related compounds.....	0.006%
INERT INGREDIENTS:	99.656%
	100.000%



*1-cyclohexene-1,2-dicarboximidomethyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions.

NET CONTENTS: _____



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USE. Point valve away from face and press button. Hold can at least 3 feet from surfaces which may stain and 18 inches from plants.

FOR USE AROUND THE HOME

FLYING INSECTS (Flies, Mosquitoes, Gnats and Moths): Direct spray at insects using short bursts (1 to 2 seconds) or treat unoccupied areas as follows: Close doors and windows. With a sweeping motion direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes and ventilate before reoccupying.

CRAWLING PESTS (Ants, Boxelder Bugs, Crickets, Earwigs, and Sowbugs): Spray into cracks or woodwork, walls, floors, and other hiding and breeding places. Direct spray to contact pests when possible. Spray ant trails and areas around door sills and window frames.

WASPS AND HORNETS: Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

FOR USE ON ORNAMENTAL PLANTS

For control of aphids, two-spotted spider mites and adult white flies on ornamental house and greenhouse plants (African violets, aralia, Christmas cherry, chrysanthemum, cineraria, diffenbachia, fuschia, gloxinia, ivy, lantana, Neanthe bella palm, petunia, rose and snap dragon) and on outdoor plants (azalea, chrysanthemum, euonymus, ivy, marigold, petunia, rose, snapdragon, and zinnia). Spray plants with a slow sweeping motion so that mist drifts into plants. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors, spray when air is still.

For control of these pests as well as tent caterpillars, canker worms and garden webworm on ornamental crabapple, cherries, and plum trees, spray as above. Do not spray bearing fruit trees.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area inaccessible to children and pets and away from heat or open flame. Do not transport or store below 32°F.

DISPOSAL: Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid spraying in eyes. Avoid breathing spray mist. Avoid contact with skin. Wash hands thoroughly after use. Vacate room after treatment and ventilate before reoccupying. Avoid contamination of feed and foodstuffs. Cover or remove fishbowls.

STATEMENT OF PRACTICAL TREATMENT

If on Skin: Wash affected areas immediately with soap and water. Get medical attention if irritation persists.

If in Eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

