

CODE 721.80

FOOD PLANT FOGGING INSECTICIDE

EPA Reg. No. 4816-512

EPA Est. No. 279-NY-1

A Concentrated PYRENONE® Product

DESIGNED FOR USE IN BUILT-UP AREAS OF OFFICIAL ESTABLISHMENTS, INCLUDING UNDERGROUND AREAS, TUNNELS, CEILING AND FLOOR BOARDING INSULATION, DRAWS AND OTHER FOOD PROCESSING PLANTS.

Apply with Equipment Designed and Adjusted to Deliver a Fine Aerosol Mist.

ACTIVE INGREDIENTS:

Pyrenone	90.0%
Propylene Glycol, Technical	9.0%
Petroleum Distillate	1.0%

*Equivalent to 1.0% (w/v) of (6-propylpyrenone) ether and its related compounds.

PYRENONE - Registered Trademark of Fairfield American Corporation

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See reverse side for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The use of this product in food processing establishments should be limited to those periods when the plant is not in operation. Foods shall be removed or covered during treatment. All food processing surfaces should be covered during treatment and should be cleaned and rinsed with potable water before using. Areas and products which are infested should be inspected or treated by other effective methods using an approved product intended for that purpose.

SPACE SPRAY - For control of accessible, exposed stages of flies, including fruit flies, houseflies, small flying moths, gnats, wasps, hornets, bees, stingers and the collection of seed products from granary weevils, rice weevil, corned flour beetles, saw-toothed grain beetles, pinhead beetles, cigarette beetles, drug store beetles, Angoumois grain moth, Mediterranean flour moth, Indian meal moth, stored product moth, meal worms and grain mites. Close windows and doors and shut off ventilating system. Use a pump or sprayer adjusted to deliver an aerosol spray (no droplets over 50 micron in diameter and 80% less than 10 microns). Apply at the rate of 1 ounce per 1000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area and around obstructions. For best control of wasps and hornets, apply directly to nests in the evening when the insects have returned to the nest. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary.

SPACE AND CONTACT SPRAY - For control of accessible, exposed stages of silverfish, crickets, cockroaches, spiders, scorpions, flower flies, chironomids, earwigs and ants. First using equipment which can deliver a fine spray, direct spray into all cracks and crevices in wall work, walls, floors, underneath sink, behind pipes and in all places where these insects are known to seek shelter. Contact as many insects as possible, spray directly all ant trails. Do not allow spray to contact stored food. Then, closing all doors, windows and ventilating systems, proceed with space spraying directions as given above. Use a dosage rate of 1 ounce per 1000 cubic feet of space. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary.

IN MUSHROOM PRODUCTION AND PROCESSING - To control mushroom flies and fungus gnats in growing houses, apply at a rate of 1 ounce per 1000 cubic feet of space. Fogger should be operated 8 to 10 feet away from rows and directed slightly upward over them. Circulating fans should be left in operation, but for best results, refrigerators should be turned off. In packing and canning plants, use at a rate of 1 ounce to 2000 cubic feet of space.

ACCEPTED
with COMMENTS
by EPA Letter dated

AUG 9 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, this pesticide is registered under EPA Reg. No. 4816-512

BEST DOCUMENT

SEE REVERSE SIDE

NET CONTENTS _____

CODE 721.80

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES

Store product at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, pick up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL

Do not mix spray mixture or rinse water that cannot be used according to label instructions but to be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL

Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contamination of feed and food-stuffs. Remove pets, birds and cover fish aquaria before spraying. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned and rinsed with potable water before using. When using the product in food processing areas, apply only when the facility is not in operation.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed to do so by a physician. Aspiration is a potential hazard.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Wash affected areas with plenty of soap and water.


IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given hereon.

BATCH



Printed in U.S.A.

4/10/81
300 / 102179
12

DIS 10 1981

Mr. Lawrence J. Feller
Fairfield American Corporation
8th & Harrison Streets
Hrentown, NJ 08329

Dear Mr. Feller:

Subject: Food Plant Mopping Insecticide
EPA Registration No. 0916-512
Your Amended Application of July 15, 1980

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Notes: At the next printing of final printed labeling the following correction should be made. The precautionary statement should be revised to read similar to the following.

- o Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in meat packing plants, bakeries, and other food processing plants, wash all equipment with potable water, benches, shelving, etc., where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

CONCURRENCES							
SYMBOL	79-767						
SURNAME	<i>[Signature]</i>						
DATE	75-767						

-2-

- o All sites must be specified. Therefore the phrase "other food processing plants" should be deleted and you must specify exactly what (by name) other food processing plants you are referring to.

Sincerely yours,

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

TS-767C:A,HEYWARD:DCR-24595:WANG-0610C:qmr:Raven:479-2013:8/4/83