


DONE EXCLUSIVELY  
FOR FARNAM

Reg # 4216-537

PM-12

Code 723.05

121



Pyrenone

DURSBAN® DUAL USE E.C.

NOT FOR GENERAL RELEASE

EPA Reg. No. 4816-537 EPA Est. No. 4972-FL-1

CONTROLS NUMEROUS INSECT PESTS IN OR AROUND ANIMAL QUARTERS, HOUSEHOLDS, FOOD PROCESSING PLANTS, FACTORIES, WAREHOUSES, INSTITUTIONS, TRUCKS, RAILROAD CARS, TURF, ORNAMENTAL PLANTS, AND AREAS INFESTED WITH MOSQUITOES AND TICKS.

Provides the quick knockdown and flushing of Pyrenone® and the residual effect of chlorpyrifos.

#### ACTIVE INGREDIENTS

|                                                                             |         |
|-----------------------------------------------------------------------------|---------|
| Pyrethrins .....                                                            | 3.33%   |
| *Piperonyl Butoxide, Technical .....                                        | 16.64%  |
| Chlorpyrifos 0.0-Diethyl 0-3,5,6-trichloro-2-pyridyl phosphorothioate ..... | 31.99%  |
| **INERT INGREDIENTS .....                                                   | 48.04%  |
|                                                                             | 100.00% |

\*Equivalent to min. 13.31% (butylcarbityl) (6-propylpiperonyl) ether and 3.33% related compounds.

\*\*Contains Petroleum distillate and aromatic petroleum derivative solvent

KEEP OUT OF REACH OF CHILDREN  
WARNING

See back panel and label text for additional precautions.

PYRENONE — Registered trademark of Fairfield American Corporation

DURSBAN — Registered trademark of Dow Chemical Company.



FAIRFIELD  
AMERICAN  
CORPORATION  
238 Wilson Avenue  
Newark, New Jersey 07102

BEST AVAILABLE COPY

INSERT + 1

NET CONTENTS \_\_\_\_\_

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**APPLICATION WITHIN FOOD HANDLING ESTABLISHMENTS** (Places other than private residences in which exposed food is held, processed, prepared or served) including, but not limited to, areas for receiving, storage, packing (canning, bottling, wrapping, bagging), processing, edible waste storage, and enclosed processing systems (mills, dairies, etc.) and areas for food preparation (both food and nonfood areas for control Cockroaches, Ants, Waterbugs, Silverfish, Spiders and Crickets. Dilute this product with water or with a suitable base oil to make a 0.25% or 0.50% solution for spray as shown in the following SPRAY DILUTION CHART.

#### SPRAY DILUTION CHART:

| Gallons of Spray<br>Mixture Desired | Fluid Ounces* of Concentrate To Make |             |
|-------------------------------------|--------------------------------------|-------------|
|                                     | 0.25% Spray                          | 0.50% Spray |
| Water-Base Spray                    |                                      |             |
| 1                                   | 1                                    | 2           |
| 3                                   | 3                                    | 6           |
| 5                                   | 5                                    | 10          |
| 10                                  | 10                                   | 20          |
| Oil-Base Spray**                    |                                      |             |
| 1                                   | 3/4                                  | 1 1/2       |
| 3                                   | 2 1/4                                | 4 1/2       |
| 5                                   | 3 3/4                                | 7 1/2       |
| 10                                  | 7 1/4                                | 14 1/2      |

\*Note: 1 fluid ounce = 2 tablespoons or 6 teaspoonsful

\*\*Calculated on basis of deodorized kerosene

Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide. For spot treatment apply as a coarse, low pressure (20 psi or less) spray to localized areas in points between different elements of construction between equipment and floor openings leading to voids and hollow spaces in walls, equipment legs and bases, in cabinets, under housing, junction or switch boxes. Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in "ON" position. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food and food processing surfaces.

**APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OR CRACK AND CREVICE TREATMENT IS NOT PERMITTED**

**Serving Areas:** Facilities where foods are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot treatment to selected surfaces, such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

**APPLICATION IN NON-FOOD AREAS OF INSTITUTIONS, RESTAURANTS, FOOD PROCESSING, OFFICE BUILDINGS, PLANTS AND IN AND AROUND HOMES:**

Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply as a spot treatment to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required.

#### INDOOR PESTS, General Information:

Use this product as a spot treatment to control Cockroaches, Ants, Crickets, Fleas, Silverfish, Spiders, Confused Flour Beetles, Sawtoothed Grain Beetles, Indian Meal Moths, Rice Weevils, Mediterranean Flour Moths, and Red Flour Beetles in and around residential, institutional, industrial and commercial buildings, including homes, apartment buildings, hospitals, stores, manufacturing plants and warehouses. Use a 0.25% spray to quickly reduce heavy infestations. For spot treatment, apply as a coarse spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators, and cabinets, around plumbing and other utility installations. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance.

#### Fleas and Brown Dog Ticks:

Thoroughly apply 0.5% spray as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor covering where these pests may be present. Old pet bedding should be removed and replaced with clean, fresh bedding after treatment. Repeat treatment as necessary. Do not treat pets with this product. Pets should be treated using an approved insecticide to prevent reinfestation.


#### WARNING (PESTS INDOORS):

Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish aquarium before spraying. Do not allow spray to contact foods, foodstuffs, and water supplies. Thoroughly wash dishes and food handling utensils and surfaces with soap and water if they become contaminated by application of this product.

#### PESTS, OUT-OF-DOORS, General Information:

Pests of lawns and other ornamental and recreational turf grass areas. Use this product to control Ants, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Earwigs, Grasshoppers and Sod Web worms (lawn moths). Mix this concentrate with water according to directions given in the following

SEE REVERSE SIDE



FAIRFIELD  
AMERICAN  
CORPORATION  
238 WILSON AVENUE

11816-537

PM-12

181

DONE EXCLUSIVELY  
FOR FARNAM

ACCEPTED  
SEP 23 1985  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 4816-537

Pyrenone

DURSBAN® DUAL USE E.C.

NOT FOR GENERAL RELEASE

EPA Reg. No. 4816-537 EPA Est. No. 4972-FL-1

CONTROLS NUMEROUS INSECT PESTS IN OR AROUND ANIMAL QUARTERS, HOUSEHOLDS,  
FOOD PROCESSING PLANTS, FACTORIES, WAREHOUSES, INSTITUTIONS, TRUCKS,  
RAILROAD CARS, TURF, ORNAMENTAL PLANTS, AND AREAS INFESTED WITH MOSQUITOES  
AND TICKS.

Provides the quick knockdown and flushing of Pyrenone® and the  
residual effect of chlorpyrifos.

ACTIVE INGREDIENTS

|                                                                               |         |
|-------------------------------------------------------------------------------|---------|
| Pyrethrins.....                                                               | 3.33%   |
| *Piperonyl Butoxide, Technical .....                                          | 16.64%  |
| Chlorpyrifos 0,0-Diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate ..... | 31.99%  |
| **INERT INGREDIENTS.....                                                      | 48.04%  |
|                                                                               | 100.00% |

\*Equivalent to min. 13.31% (butylcarbityl) (6-propylpiperonyl) ether  
and 3.33% related compounds.


\*\*Contains Petroleum Distillate and Aromatic Petroleum Derivative Solvent

KEEP OUT OF REACH OF CHILDREN  
WARNING

See back panel and label text for additional precautions.

PYRENONE — Registered trademark of Fairfield American Corporation

DURSBAN — Registered trademark of Dow Chemical Company.



FAIRFIELD  
AMERICAN  
CORPORATION  
236 Wilson Avenue  
Newark, New Jersey 07102

INSERT # 1

NET CONTENTS: \_\_\_\_\_

BEST AVAILABLE COPY  
DIRECTIONS FOR USE

Code 723.05

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION WITHIN FOOD HANDLING ESTABLISHMENTS (Places other than those in which exposed food is held, processed, prepared or served) including but not limited to areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste, storage, and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (cafeteria, canteen, and facility in operation). Use as a spot and/or crack and crevice treatment in unoccupied, both front and behind areas to control Cockroaches, Ants, Waterbugs, Silverfish, Spiders and Crickets. Dilute this product with water or with a suitable base oil to make a 0.25% or 0.5% chlorpyrifos spray as shown in the following SPRAY DILUTION CHART.

SPRAY DILUTION CHART:

| Gallons of Spray<br>Mixture Desired | Fluid Ounces* of Concentrate |             |
|-------------------------------------|------------------------------|-------------|
|                                     | 0.25% Spray                  | 0.50% Spray |
| Water-Base Spray                    |                              |             |
| 1                                   | 1                            | 2           |
| 3                                   | 3                            | 6           |
| 5                                   | 5                            | 10          |
| 10                                  | 10                           | 20          |
| Oil-Base Spray**                    |                              |             |
| 1                                   | 3/4                          | 1 1/2       |
| 3                                   | 2 1/4                        | 4 1/2       |
| 5                                   | 3 3/4                        | 7 1/2       |
| 10                                  | 7 1/4                        | 14 1/2      |

\*Note: 1 fluid ounce = 2 tablespoonsful or 6 teaspoonful  
\*\*Calculated on basis of deodorized kerosene

Apply in small amounts directly into cracks and crevices using equipment capable of delivering a fine stream of insecticide. For spot treatment apply as a coarse, low pressure (20 psi or less) spray in localized areas in points between different elements of construction, between equipment and floor openings leading to voids and hollow spaces in walls, equipment legs and bases, in (or behind) under housing, junction or switch boxes. Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in "off" position. Care should be taken to avoid depositing the product onto exposed surfaces or interfering the material into the air. Avoid contamination of food and food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OR CRACK AND CREVICE TREATMENT IS NOT PERMITTED.

Serving Areas: Facilities where foods are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot treatment to selected surfaces, such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

APPLICATION IN NON FOOD AREAS OF INSTITUTIONS, RESTAURANTS, FOOD PROCESSING, OFFICE BUILDINGS, PLANTS AND IN AND AROUND HOMES:

Includes garbage rooms, lavatories, floor drains (in sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply as a spot treatment to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required.

INDOOR PESTS: General Information:

Use this product as a spot treatment to control Cockroaches, Ants, Crickets, Firebrats, Silverfish, Spiders, Confused Flour Beetles, Sawtoothed Grain Beetles, Indian Meal Moths, Rice Weevils, Mediterranean Flour Moths, and Red Flour Beetles in and around residential, institutional, industrial and commercial buildings including homes, apartment buildings, hospitals, stores, manufacturing plants and warehouses. Use a 0.25% spray to quickly reduce heavy infestations. For spot treatment, apply as a coarse spray or with a paint brush to localized areas where these pests are found in dormitory, occur, including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators, and cabinets, around plumbing and other utility installations. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance.

Fleas and Brown Dog Ticks:

Thoroughly apply 0.5% spray as a spot treatment to infested areas such as pet beds and bedding quarters, nearby cracks and crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor covering where these pests may be present. Old pet bedding should be removed and replaced with clean, fresh bedding after treatment. Repeat treatment as necessary. Do not treat pets with this product. Pets should be treated using an approved insecticide to prevent reinfestation.

WARNING (PESTS INDOORS):

Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish aquaria before spraying. Do not allow spray to contact food, foodstuffs, and water supplies. Thoroughly wash dishes and food handling utensils and surfaces with soap and water if they become contaminated by application of this product.

PESTS, OUT-OF-DOORS: General Information:

Pests of lawns and other ornamental and recreational turf grass areas. Use this product to control Ants, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Earwigs, Grasshoppers and Sod Web worms (lawn moths). Mix this concentrate with water according to directions given in the following.

SEE REVERSE SIDE



CODE 723.05