

**ROACH
and
CRICKET
BAIT**

FA

EPA Reg. No. 4816-542
EPA Est. No. 279-NY-1

NET CONTENTS:

*For Effective Control
of Cockroaches and Crickets*

CONTAINS PROPOXUR

ACTIVE INGREDIENTS:
*2 (1-methylethoxy) phenol methylcarbamate 2%

INERT INGREDIENTS: 98%
100%

U.S. Patent No. 3,111,539 Canadian Patent No. 723,424

Keep Out of Reach of Children
CAUTION

Harmful if swallowed or absorbed through the skin. See side panel for Statement of Practical Treatment, and additional precautionary statements.

ACCEPTED

100

U.S. Environmental Protection Agency, Federal Insecticide, Fungicide, and Rodenticide Act. See label for the pesticide. Registered under EPA Reg. No. 4816-542

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read entire directions before using Roach and Cricket Bait.

FOR USE IN HOMES, APARTMENT BUILDINGS, STORES, RESTAURANTS (non-food areas) and WAREHOUSES:

To control Earwigs, Cockroaches and Field Crickets: Apply bait lightly to floors near baseboards, in closets, under sinks and refrigerators, around and inside garbage cans, and in other areas where insects are found, but which are inaccessible to children, such as cracks and crevices. Do not apply to animals. Do not treat portions of buildings where animals can feed on bait. Use approximately 4 ounces of bait per 1000 square feet of space and scatter lightly so that bait is barely visible. Repeat as necessary. Keep out of reach of children.

FOR USE IN RESTAURANTS, POULTRY PACKING, RED MEAT PACKING AND FOOD PROCESSING PLANTS, INCLUDING PLANTS THAT ARE FEDERALLY INSPECTED: Apply bait on paper, pasteboards or other material that will permit removal.

Locate these bait stations on window sills, on the floor near walls, in storage areas and other areas where insects have been observed. Maintain strict account of locations and number of bait stations. Do not apply bait in edible product areas. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

FOR USE IN RESEARCH FACILITIES:

The use of this product in and around research animal quarters for pest control will not induce changes in liver microsomal enzyme activity in these animals. This product should not be applied directly on animals nor applied where animals can feed on the bait.

FOR OUTDOOR USE AROUND FLOWER GARDENS, PATIOS, DRIVEWAYS, SIDEWALKS, FOUNDATIONS, and YARDS: To control earwigs, sowbugs, cockroaches, crickets, millipedes, pillbugs and centipedes: Apply bait evenly in a 2 to 3 foot band at the rate of 4 ounces per 1000 square feet around foundations, patios, driveways or sidewalks, taking care to treat any cracks or crevices. For maximum effectiveness treat beneath concrete drain splashpans. For applications in

or around flower gardens scatter bait at the rate of 4 ounces per 1000 square feet as a broadcast or apply a protective barrier around the garden as a 1 foot wide band.

For mole crickets apply 0.2 to 0.5 pounds per 100 square feet of yard. For best results, apply when soil is moist and night temperatures are 70 degrees or above. Best results will be obtained when mole crickets are in the nymphal stages (usually June, July and August). Repeat as necessary.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin. Do not contaminate food or feed. Avoid prolonged skin contact. Wash thoroughly after handling. Do not apply to floors or other surfaces likely to be contacted by children or pets.

SYMPTOMS OF POISONING

A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Have patient lie down and keep quiet. Contact a physician immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with fingers or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. If on Skin: Remove contaminated clothing and wash skin immediately with soap and warm water. If in Eyes: Wash with flowing water.


NOTE TO PHYSICIAN

ADDITIONAL: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water or where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.



**FAIRFIELD
AMERICAN**

CORPORATION
201 Rt 17 North
Rutherford NJ 07070

CODE 723.42

BEST AVAILABLE COPY