SYNTHRIN® AQUEOUS .25%

HOUSE AND GARDEN MULTI-LIQUID

ACCEPTED

SEP 2 1 1982

Under the Federal Insecticide.

as amended, for the pesticide

registered under EPA Rog. No. 4816-544

Fungicide, and Rodenficiale / ct.

EPA Reg. No. 4816-544 EPA Est. No. 279-NY-1

A Highly Active Synthetic Pyrethroid

Effective in the control of house flies, mosquitoes, gnats, cockroaches, earwigs, grain mites, sowbugs, spiders, centipedes, biting flies, flying moths and fleas and on ornamental plants against aphids, exposed thrips, white-flies, leafhoppers, plant bugs, Japanese beetles and mimosa webworm (on mimosa).


ACTIVE INGREDIENTS:

*Cis/trans isomer ratio: max. 30% (+) cis and min. 70% (+) trans

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautions.

SYNTHRIN - Registered trademark of Fairfield
American Corporation



Printed in U.S.A.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.

Apply using a good sprayer adjusted to deliver a fine mist.

INDOORS: For control of house flies, mosquitoes and gnats.

Close all doors and windows. Direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

INDOORS: For control of cockroaches, earwigs, grain mites, sowbugs, spiders and centipedes.

Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

To kill fleas on dogs, cats and premises:

apply directly to animals along back, under forelegs and on other areas except genitalia. Part hair to contact skin and insure good doverage. Hold nozzle about one foot away while spraying. Apply until animal hair is thoroughly saturated. Do not spray directly in eyes or mouth of animal. Repeat within 24 hours of first treatment if necessary. To reduce reinfestation thoroughly spray the animal's bedding and other resting areas until the surface is slightly moist. Also spray the entire inside surface of dog houses. Repeat as necessary, thoroughly spraying floors, cracks, crevices and bedding. Hit as many insects directly as possible.





FAIRFIELD
AMERICAN
CORPORATION
3932 Sail Road

Medina, New York

SEE REVERSE SIDE