

4816-547

CODE 726.15 TETRALATE 0.25-0.25 INSECTICIDE

For control of residential, institutional and certain insect pests in food areas of industrial buildings.

Contains a combination of two highly active synthetic Pyrethroid Compounds:

ACTIVE INGREDIENTS	PERCENTAGE
Tetramethrin	0.250%
Related Compounds	0.046%
Resorcinol, 4-(2-methylpropyl)-	
1,4-Dimethyl-2,2-dimethyl-	
cyclohexene-propenyl cyclo-	
propane carboxylate	0.25%
Related Compounds	0.034%
Aromatic petroleum hydrocarbons	8.44%
INERT INGREDIENTS	90.97%
Total	100.00%

1,4-Dimethyl-2,2-dimethylcyclohexene-propenyl cyclopropane carboxylate
Synthetic cis/trans isomer content: Max. 30% cis and min. 70% (2) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions

EPA Reg. No. 6816-547

EPA Est. No. 729-NY-1

62-02-07

NET CONTENTS

1/2 PINT

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Fluid and dry dust should be removed or covered during treatment. Avoid breathing of vapor or contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Do not smoke while spraying. Handle pets, birds and cover fish aquariums before spraying. Do not use on edible crops. Do not use where food is commercially prepared. Do not use in serving areas while food is exposed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEST DOCUMENT AVAILABLE

PURCHASE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

Shake well before using.

INDOORS

FOR CONTROL OF RESIDENTIAL AND INDUSTRIAL INSECTS

Flies Gnats

Mosquitoes Small Flying Moths

Close doors and windows and shut off ventilating system. Using a conventional mechanical or compressed air spraying or fogging equipment, apply as a fog or fine mist, directing the spray toward the upper portions of the room and toward windows and other light sources which attract these insects. Thoroughly fill the area with mist using 8 to 10 cubic feet per 1000 cubic feet of space. Keep area closed for at least 10 minutes. Vacate after treatment and ventilate before re-entering. Repeat treatment as needed.

Wasps Hornets

Direct the spray at these insects when possible. Spray thoroughly into nests, hiding and breeding places when insects have settled at night.

Ants

Spray trails, nests and points of entry. Spray directly on ants when possible. Awake as necessary.

Cockroaches
Sowbugs
Fleas
Centipedes

Crickets
Earwigs
Grain Rites
Spiders

Apply as a coarse droplet spray directed into cracks, crevices and other hiding places along baseboards, around the base of machinery and under cabinets. Spray thoroughly contacting insects directly whenever possible. Spray badly infested areas daily. In other areas, repeat treatments twice weekly or when reinestation occurs.

INDOORS AND OUTDOORS

HOUSE PLANTS AND GREENHOUSES AND ORNAMENTALS OUTDOORS

For control of Aphids

Two-spotted spider mites

Plants
African Violets Lantana
Aralia Witch's Bells Palm
Christmas Cherry Petunia
Chrysanthemum Rose
Cineraria Snapdragon
Daffodachia Azalea
Fuchsia Euonymus
Gloxinia Marigold
Ivy Zinnia

Direct the spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when air is still.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

BEST DOCUMENT AVAILABLE

4816-547

26.15 TETRALATE 0.25-0.25 INSECTICIDE

Control of residential, indoor
pests & non-food areas
(4%)

of two highly active
Compounds

	0.250%
Chlorothalonil	0.048%
2,2-dibromo- propyl cyclo-	
hexane	0.250%
0.034%	
Hydrocarbons	0.445%
	100.000%

Carboimidomethyl
Chloropropenyl cyclo-

Isomer Content Max 32%
(2) trans

REACH OF CHILDREN

AUTION

additional precautions

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Food and drink should be removed or covered during treatment. Avoid breathing of vapor or contact with eyes, skin or clothing. If case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation or sensitization is not relieved after spraying. Remove pets, birds and other fresh aquacultures before spraying. Do not use on edible crops. Do not use where it is commercially prepared. Do not use in service areas while food is exposed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEST DOCUMENT AVAILABLE

STORAGE AND DISPOSAL

Do not reuse empty containers. Drop container and put in trash collection.

Shake well before using.

INSECTS

FOR CONTROL OF RESIDENTIAL AND INDUSTRIAL INSECTS

Flies	Chats
Mosquitoes	Small Flying Mites

Close doors and windows and shut off ventilating systems. Using a conventional mechanical or compressed air spraying or fogging equipment, apply as a fog or fine mist, directing the spray toward the upper portions of the room and toward air ducts and other light sources which attract these insects. Thoroughly treat the area with mist using 8 to 1 ounce per 1000 cubic feet of space. Keep doors closed for at least 10 minutes. Vacate after treatment and ventilate before re-occupying. Repeat treatment as needed.

NOTES

NOTES

Direct the spray at these insects when possible. Spray thoroughly into nests, hollow and breeding places when insects have settled at night.

ARCS

Spray into cracks and crevices of entire house directly in ants when possible. Repeat as necessary.

ANTS

Apply at a low rate of spray, directed into cracks, crevices and other hiding places along exterior, and at the base of railings, and under eaves. Use thorough, overlapping treatments directly whenever possible. Spray again infected areas daily. In other areas, repeat treatments twice weekly or when reinestation occurs.

ANTS

Apply at a low rate of spray, directed into cracks, crevices and other hiding places along exterior, and at the base of railings, and under eaves. Use thorough, overlapping treatments directly whenever possible. Spray again infected areas daily. In other areas, repeat treatments twice weekly or when reinestation occurs.

INSECTS AND PLANTS




HOUSE PLANTS AND GREENHOUSES AND ORNAMENTALS OUTDOORS

For control of:

Plants	Lantana
African Violets	Wistaria
Azalea	Wisteria
Christmas Cherry	Petunia
Chrysanthemum	Rose
Cineraria	Tradescantia
Daffodil	Travaria
Fuchsia	Eucalyptus
Glechoma	Marigold
Tar	Zinnia

Spray the spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when air is still.

Buyer assumes all risks of use, storage or handling. If this product not in strict accordance w/ directions & ver. herewith.



POLYFIELD
CORPORATION
3032 San Ross
Macau New York 10103

BEST DOCUMENT AVAILABLE