

BEST DOCUMENT AVAILABLE

CODE 723.35

Industrial Crawling Insect Spray

ACCEPTED
4816-548
JUL 14 1981
Under the Federal Insecticide, Fungicide, and Rodenticide Act
EPA Reg. No. 723.35

Only for sale to, use, and storage by servicepersons.

Contains Baygon

Kills exposed stages of: Cockroaches, Silverfish, Granary Weevils, Sawtoothed Grain Beetles, Flat Grain Beetles, Indian Meal Moths, Confused Flour Beetles, Caddisflies, Rice Weevils

Industrial Crawling Insect Spray (containing Baygon) is a highly effective new formulation which provides rapid kill of such crawling insects as the aforementioned, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides

Ready-To-Use, Residual in Action - For Use in Inedible Product Areas of Bakeries, Food Handling Establishments, Restaurants, Hotels, Motels, Institutions, Schools, Theaters, Office Buildings, Apartment Buildings, Hospitals, Stores, Warehouses, Truck Trailers, and Railroad Cars.

ACTIVE INGREDIENTS:

*2-(1-methylethoxy)phenol	12
methylcarbamate	84
Petroleum Distillate	15
INERT INGREDIENTS	100

*U.S. Patent No. 3,111,539

BAYGON - Registered trademark of Farbenfabriken Bayer A.G., Chemagro Corporation licensee

Keep Out Of Reach Of Children

CAUTION

TO PHYSICIAN: Atropine sulfate is antidotal.

See rear panel for additional precautionary statements.

EPA Reg. NO -548
EPA Est. NO NY-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use in NON-FOOD AREAS of BAKERIES, FOOD HANDLING ESTABLISHMENTS, RESTAURANTS, HOTELS, MOTELS, INSTITUTIONS, SCHOOLS, THEATERS, OFFICE BUILDINGS, APARTMENT BUILDINGS, HOSPITALS, STORES, WAREHOUSES, TRUCK TRAILERS, and RAILROAD CARS.

RESTRICTIONS: Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor coverings.

This product is residual in action. Apply it only to the surfaces specified below. Do not use as a space spray. Application to operating surfaces or to surfaces which may become food zone surfaces must be avoided.

Before spraying this product, clean all surfaces to be sprayed. Good sanitation is most important for good insect control.

Use a low pressure tank type sprayer. After filling the tank, pump the pressure to 50 lbs. and reapply pressure when it falls to 32 lbs. Application should be made with an even up and down motion so that a film of liquid covers the desired surface to such an extent that the surface when freshly covered glistens but does not run. This practice will deposit approximately one gallon per 1000 square feet. A rough check should be made to determine the number of square feet covered by each application so that a correction may be made if the spray is being applied too lightly or too heavily. The nozzle should usually be held about 18 inches from the surface, but experience will dictate the exact distance desirable.

The area covered should not extend more than 5 feet up the walls and about 18 inches out on the floor. In some basement areas, it is desirable to spray the wall-ceiling junction and the surfaces of foundation walls. Surfaces that later become food product zones should not be sprayed.

In addition to the wall-floor area, spray above - 5 feet up the wall and 18 inches out on the floor - it is well to use an oil jet, if such an adjustment is available on the sprayer - to squirt insecticide behind cabinets and other wall obstructions where insects may hide or breed and into cracks and crevices and behind power outlets and switchboxes.

Repeat applications, if necessary, when the plant is not in operation.

Food processing plants which have pipe tunnels through which steam and other utilities enter the building from outside should have this tunnel sprayed thoroughly, top, bottom, walls and pipes. Insulated pipes are a favorite hiding place for cockroaches. Do not spray on uninsulated steam pipes because of possible volatilization.

DISPOSAL

Do not incinerate. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided. Wash thoroughly after using. Should illness occur, get prompt medical aid.

Avoid contamination of food, utensils and food preparation areas. Thoroughly wash dishes and food handling utensils if contaminated by this spray.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Contains petroleum distillate. Do not induce vomiting. Get medical attention.

If In Eyes: Flush eyes with plenty of water. Get medical attention.

If On Skin: Wash with soap and water.

SEE REVERSE SIDE

4276-548

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

1000

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

BEST DOCUMENT AVAILABLE

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

NET CONTENTS _____

BATCH

[Empty rectangular box for batch number]