

CODE 723.45

MULTI-PURPOSE RESIDUAL 70 W.P.

Contains [€]BAYGON

EPA meg. No. 4516-550 EPA Est. No. 4972-7L-1

To be applied only by or under the supervision of Trained Personnel responsible for Insect Control Programs.

An insecticide for use in and around homes, apartment buildings, stores, warehouses and asimal research facilities.

This jar contains 5x2 ounce water-soluble pouches of Multi-Purpose Residual 70 W.P. which dissolve and mix readily in water to form a suspension. Apply with most hand or power operated sprayers.

ACTIVE INGREDIENTS 2- (1-Methylethoxy) phenol methyl-

*U.S. Patest No. 3,111,539

BAYGON - Registered trademark of the parent company of Farbenfabriken Bayer Cabit. Leverkusen

14814-55D KEEP OUT OF REACH OF CHILDREN WARNING

See bock panel for additional procautions

1	 BATCH

Printed in U.S.A.

NET CONTENTS.__

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

AVOID EXCESSIVE HANDLING OF POUCHES OR EXPOSURE TO MOISTURE.

For control of the following insects in and around Romes, Apartment Buildings, Stores and Warehouses.

INDOORS

Anto Cockroaches Fleas

Silverfish Spiders Ticks Waterbugs Sawtoothed Grain Beetles (exposed stages)

Dissoive 1 pouch in 1 gallon of water to make a 1.1% concentration. Apply as a residual spray to baseboards, window frames, the undersides of shelves and drawers, under sinks and stoves and to other places where sinks and stoves and to other present and stoves and surfaces where insects may crawl when they come out of hiding. Continue applicathey come out of hiding. Continue applica-tions as needed with a maintenance applica-tion using a 0.5% solution (1 pouch in 2 gallons of water). Do not spray foodstuffs or house plants. DO NOT USE AS A SPACE SPRAY. Do not treat animals. Treat pets with an E.P.A. approved product registered for use on animals.

Peat Control to Weat Packing and Food Pro-cossing Plants, Food Storage Areas, Stores, Warehouses, Restaurants, and Other Food Handling Establishments (places other than private residences in which exposed food in held, processed, prepared or served.) To obtain initial control of ants, cockroaches, millipedes, silverfish, spiders, waterbugs, and to mid in the control of savtoothed grain beetle (exposed staye), used nough in grain beetle (exposed stage), use 1 pouch is 1 gallon of water to make a 1.14 concentra-Continue applications as needed using a maintenance rate of 0.5% (1 pouch in 2 gallons of water).

Non-Food Areas: Apply to floors, walls, cellings, or other infested areas.

SEE REVERSE SIDE

ment bases and the floor, wall voids, or hollow equipment legs where the insects noted above hide. Do not use this product in conduits, motor housings, or electrical switch boxes. Care should be taken to artich poxes. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CHACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

Spraying unloading docks and outside areas where insects congregate will aid in preventing re-infestations. Good sanitation and proper disposal of wastes is essential in any effective insect control program. For control of the following peats is

Research Asimal Facilities: Silverfish

Spiders Ticks Cockroaches Fleas Millipedes Waterbugs Sawtoothed Grain Beetles (exposed stages)

Follow the above directions. The use of Baygon in and around research animal's quarters for pest control will not induce changes in liver microsomal enzyme activity in these animals. Multi-Purpose Mesidual 70 W.P. should NOT be applied in portions of the buildings where there is direct contact by the animals. Avoid contamination of food. DO NOT USE AS A SPACE SPRAY. Do not treat animals. Treat animals with an E.P.A. approved product registered for use on saimals.

Millipedes

Mosquitoes

Sowbugs

Spiders

Earwige

OUTDOORS Aste Cockroaches

Clover Wites Crickets Fleas

fils concentrate.

Waterbugs Dissolve 1 pouch to 1 gallon of water to make a 1.1% concentration. Apply as a residual spray or with a paint brush to surfaces of buildings, purches, acreens, window frames, patios and garages where these insects congregate. Repeat as necessary. Do not treat plants (lawns, lowering plants, shrubs, trees, etc.)eith

FAIRFIELD AMERICAN

YAR AND SCINE ASSESSED N. WARRY NO. 9 No.

Fairfield American Corporation 8th & Harrison Streets Frenchtown, NJ 08825

Gentlemen:

Subject: Multi-Purpose Residual 70 W.P.

EPA Registration No. 4816-550
Applications Dated January 12, 1983 and February 22, 1983

The amendment referred to above, submitted in connection with registration under PIPRA sec. $3(c)(7)(\lambda)$, is acceptable provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under PIPRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Please refer to the enclosed PR Notice 83-1 for instructions and directions for data compensation.

Sincerely yours,

Jay S. Ellenberger Product Manager (12) Insecticide-Rodenticide Branch Registration Division (TS-767)

Enclosure

TS-767:JSELLENBERGER:DCR-28943:WANG-2673C:bje:Raven:479-2013:2/23/83
Revised: JSELLENBERGER:DCR-28893:WANG-3162C:vgr:Raven:479-2013:3/18/83

CONCURRENCIS											
BANNON	•										
SCHOOLAND	•			† - -]					
DATE	•				*						
OFFICIAL FILE CORY											