

**To Control Sand Flies or Punkies :**

Dissolve 1 pouch in 1 quart water to make a 4.2% concentration. Apply with a paint brush to outside surfaces of door and window frames and other screened areas where these insects may enter buildings. Thorough coverage is necessary for maximum control.

**For Control of Sodworms (lawn moths) On Lawns and Turfs:**

Dissolve 1 pouch in 10 to 15 gallons of water to make a 0.1% to 0.07% concentration. Apply to 700 square feet of area. For best results, mow the lawn and rake dead leaves from damaged spots, water the lawn thoroughly and allow grass to dry before spraying. If possible do not water again for several days. Three applications at monthly intervals may be required for maximum control. In most areas, the first application should be made in May or June. Consult your local State Agricultural Experiment Station or Extension Service for more specific information regarding timing of application.

**For control of Chinch Bugs, Hanting Billbugs, Ticks, Chiggers, and Bluegrass Billbugs on Lawns and Turfs:**

Apply 2 pouches per 1,000 square feet of area. Do not use less than 15 gallons of water per 1000 square feet. For best results use 30 to 40 gallons of water per 1000 square feet. Repeat as necessary. For most effective control of chinch bugs, ticks and chiggers, apply during the spring and summer months, or as recommended by your State Agricultural Extension Service. For best results, lawns should be watered before applying Baygon.

**Low Volume Spray for Control of Adult Mosquitoes:**

Dissolve 1 to 2 pouches in one gallon of water (0.05 to 0.175 lb. active) per acre for ground or aerial application.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Unused pouches should remain in jar. Do not store this jar under wet conditions. Handle carefully when stored at temperature of less than 50°F to avoid breakage of soluble pouch.

**DISPOSAL:** Do not reuse empty jar. Wrap and put in trash collection. Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### WARNING

May be fatal if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. In case of prolonged exposure, wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and warm water. Do not store near feed or food products. Do not contaminate food. Wash hands, arms and face thoroughly with soap and water before eating or drinking. Wash all contaminated clothing with soap and hot water before reuse. Since this is a water suspension material, do not apply to rugs, carpets, draperies, wallpaper or similar materials that may be stained or watermarked. Keep children and pets off treated areas until surfaces are dry. Do not apply to animals or humans. Do not use in animal barns or poultry houses for fly control.

#### STATEMENT OF PRACTICAL TREATMENT

**If In Eyes or On Skin:** Flush with plenty of water and get immediate medical attention.

**If Swallowed:** Drink a glass of water and induce vomiting by touching finger to back of throat. Get medical attention.

**If Inhaled:** Remove victim to fresh air. Apply artificial respiration and oxygen if indicated.

### NOTE TO PHYSICIAN atropine Sulfate is antidotal

#### ENVIRONMENTAL HAZARDS

This product is toxic to wildlife, birds feeding on treated areas may be killed. Do not apply directly to lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

