A-PB Food Plant Fogging Spray

CODE 721.81

Designed for Use in Edible Product Areas of Official Establishments Operating Under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs and in Other Food Processing Plants

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist

ACTIVE INGREDIENTS:

Allethrin (allyl homolog of Cinerin II	1 25%
Related compounds	0 14%
'Piperonyl Butoxide. Technical	5 00%
Petroleum Distillate	93 61%
	100 00%

'Equivalent to 4 0% (butylcarbityl) (6-propylpiperonyl) ether and 1 0% related compounds

---

CAUTION KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed Avoid contamination of feed and foodstuffs

See below and side panels for additional precautionary statements

---

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed The use of this product in food processing establishments should be confined to time periods when the plant is not in operation Foods should be removed or covered during treatment All food processing surfaces should be covered during treatment or thoroughly cleaned before using Stored food products which are infested should be fumigated or treated by other effective methods using an approved product intended for that purpose

ENVIRONMENTAL HAZARDS

This product is toxic to fish Keep out of any body of water Do not contaminate water by cleaning of equipment or disposal of wastes Apply this product only as specified on this label

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame

FAIRFIELD AMERICAN CORPORATION

ACCEPTED

JAN 04 1980

Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide registered under EPA Reg No 4816-554

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL

Do not reuse empty container Wrap container and put in trash collection

SPACE SPRAY: To kill accessible, stages of **house flies,** including **fruit flies, small flying moths, gnats, cheese skippers,** and these common stored product pests: **granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, Tobacco moths, meal worms and grain mites:** Close windows and doors and shut off ventilating systems Use a fogger or vaporizor adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns) Apply at the rate of 1 ounce per 1000 cubic feet of space Direct the spray toward the ceiling and upper corners of the area behind obstructions Vacate and close off treated area Do not reenter for at least 15 minutes after application Ventilate before reoccupying.

In mushroom production and processing To kill **mushroom flies** or **fungus gnats** in growing houses. apply at a rate of 1000 cubic feet of space. Fogger should be operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation. but for best results. refrigeration should be turned off In packing and canning plants use at a rate of 1 ounce to 2000 cubic feet of space

SPACE AND CONTACT SPRAY: To kill accessible, exposed stages of **silverfish, crickets, roaches, clover mites, cheese mites, earwigs,** and **ants,** first using equipment which can deliver a pin spray. direct spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects are known to seek shelter Contact as many insects as possible. spray directly all ant trails Do not allow spray to contact stored food Then, shutting all doors, windows and shutting off all ventilating systems proceed with space spraying directions as given above Use a dosage rate of 1 ounce per 1000 cubic feet of space Vacate and close off treated area Do not reenter for at least 15 minutes after application Ventilate before reoccupying Repeat treatment as necessary

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith