

CODE 721.81

Alleviate® Food Plant Fogging Spray

FOR USE BY TRAINED PERSONNEL ONLY

EPA Reg. No. 4816-554 EPA Est. 279-NY-1

Designed for Use in Edible Product Areas of Official Establishments Operating Under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs and in Other Food Processing Plants

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist

ACTIVE INGREDIENTS:

d/l-allethrolone d-trans chrysanthemate	0.50%
Related Compounds	0.04%
*Piperonyl Butoxide, Technical	5.00%
**INERT INGREDIENTS	94.46%
	100.00%

*Equivalent to 4.00% (butylcarbityl)(6-propyl-piperonyl) ether and 1.00% related compounds

**Contains Petroleum distillate

ALLEVIATE - Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN
CAUTION

See side panel for additional cautions.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center. Do not induce vomiting unless directed by a physician. This product contains a high amount of petroleum distillate. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected areas of skin with soap and water.

**FAIRFIELD
AMERICAN
CORPORATION**

201 Route 17 North, Rutherford, N.J. 07070

NET CONTENTS: _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SPACE SPRAY: To kill accessible stages of house flies, including fruit flies, small flying moths, gnats, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, and mealworms. Tobacco moths, meal worms and grain mites. Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray of droplets over 50 microns in diameter and 80% less than 80 microns. Apply at the rate of 1 ounce per 1000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area behind obstructions. Vacate and close off treated area. Do not reenter for at least 15 minutes after application. Ventilate before reoccupying.

In mushroom production and processing: To kill mushroom flies or fungus gnats in growing houses, apply at a rate of one ounce per 1000 cubic feet of space. Fogger should be operated 6 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation, but for best results, refrigeration should be turned off. In packing and canning plants, use at a rate of 1 ounce to 2000 cubic feet of space.

SPACE AND CONTACT SPRAY: To kill accessible, exposed stages of silverfish, crickets, roaches, clover mites, cheese mites, earwigs, and ants, first using equipment which can deliver a pin spray, direct spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects are known to seek shelter. Contact as many insects as possible, spray directly all ant trails. Do not allow spray to contact stored food. Then shutting all doors, windows and shutting off all ventilating systems proceed with space spraying directions as given above. Use a dosage rate of 1 ounce per 1000 cubic feet of space. Vacate and close off treated area. Do not reenter for at least 15 minutes after application. Ventilate before reoccupying. Repeat treatment as necessary.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Stored food products which are infested should be fumigated or treated by other effective methods using an approved product intended for that purpose.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

CONTINUED ON REVERSE

Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

Not Reviewed. Registration of this product is in accordance with the provisions of FIFRA, 7 U.S.C. 136, and 40 CFR 155.55.