

PA 11 4816-572
FEB 27 1991

Ms. P. Leanne Pruett
Fairfield American Corporation
809 Harrison Street
Frenchtown, NJ 08825

Dear Ms. Pruett:


Subject: Allethrin Registration Standard
Flea and Tick Killer for Dogs and Cats
EPA Reg. No. 4816-386
Alleviate Equine Insecticide E.C.
EPA Reg. No. 4816-572
Alleviate Stabilene Horse Insecticide
EPA Reg. No. 4816-587
Submissions dated October 25, 1990 and November 12,
1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Before future labels are prepared for Reg. No. 4816-386 you must verify the identity of the petroleum distillate in your product, or delete the statement, "Petroleum distillate may cause aspiration pneumonia" in your Statement of Practical Treatment.

For Reg. No. 4816-572 and Reg. No. 4816-587, we are still anticipating product chemistry data matrices as previously requested in the Agency's letters dated June 11, 1990 for each product.

Sincerely,

 Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

ALLEVIATE[®] EQUINE INSECTICIDE E.C.

E.P.A. Reg. No. 4816-572 EPA Est. No. 279-NY-1

- * Contains Esbiothrin and Stablene.
- * For use on Horses and Ponies
- * This concentrate may be diluted with water or oil.
- * Kills and repels Horse Flies, Stable Flies, Face Flies, Horn Flies, Deer Flies, House Flies, Mosquitoes, and Gnats.
- * Kills Fleas, Lice and Ticks.
- * Effective for use as a wipe on or as a spray on the animal as well as a space spray in horse barns, stables or tack rooms.

ACTIVE INGREDIENTS:

d/Allethrolone d-trans chrysanthemate	0.750%
Related Compounds	0.060%
*Piperonyl Butoxide, Technical	7.500%
Butoxypropylene Glycol	53.000%
INERT INGREDIENTS	38.690%
	100.000%

*Equivalent to 6% (butylcarbityl) (6-propylpiperonyl) ether and 1.5% related compounds.

STABLENE - Registered trademark of Union Carbide Corporation

ALLEVIATE - Registered trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed. If swallowed, do not induce vomiting. Call a physician. See side panel for first aid instructions.

NET CONTENTS: Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 4816-572



FAIRFIELD AMERICAN CORPORATION
201 ROUTE 17 NORTH BUTTERFORD, NJ 07070

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Directions For Use On Horses And Ponies

Brush the animal thoroughly to remove loose dirt and dust. Prepare the appropriate dilution of this concentrate in the amount required for immediate use (about one quart per horse). Diluted, this concentrate should be used within 24 hours.

To Kill And Repel House Flies, Horn Flies, Gnats, And Mosquitoes

Dilute 1 part concentrate with 14 parts water. Use as a water spray or moisten a folded 12" square piece of turkish toweling with the dilution. Rub against, then with hair growth. Give special attention to facial areas, neck, legs, shoulders and shanks where Flies are most often seen. Avoid contact with eyes or nostrils. Apply thoroughly to moisten hair. If desired, the sheen of the coat may be enhanced by light brushing following application. For best results, apply this product daily.

To Kill Fleas And Lice

Using a dilution of 1 part concentrate to 49 parts water, apply enough spray to thoroughly wet the skin of the animal. Repeat treatment as necessary. To help in prevention of reinfestation, thoroughly spray premises and sleeping quarters, paying particular attention to cracks and crevices.

To Kill Attached Ticks

Saturate a cloth with this concentrate and daub directly on Ticks. Avoid contact with eyes or nostrils.

In Horse Barns, Stable And Tack Rooms

To control Flies, Mosquitoes, and Gnats, dilute at a rate of 1 part concentrate to 24 parts water or oil and apply as a fog or fine mist directing spray toward the ceiling and upper corners until the area is filled with mist, using about 2 ounces per 1000 cubic feet of space. For best results, close doors and windows before spraying and keep them closed for ten to fifteen minutes. Vacate the area and ventilate before reoccupying. Repeat application as necessary.

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed: Do not induce vomiting. Call a physician or Poison Control Center immediately.
- If Inhaled: Remove to fresh air.

If On Skin: Remove c
fected areas with soap
If In Eyes: Flush eyes
attention ! irritation pe

Note To Physician: C
ing may cause aspirat

STOR

Do not contaminate
disposal.
PESTICIDE STORAGE
Store upright at room
extreme temperatures
with an absorbent ma
fuller's earth, etc. Dis
PESTICIDE DISPOSAL
water that cannot be
must be disposed of a
facility.
CONTAINER DISPOS
offer for recycling or
pose of in a sanitary la
local procedures.
CONTAINERS ONE
reuse container. W
newspaper and disca

PRECAUT

HAZARDS TO HUM

Do not contaminate f
horses intended for fo
fish aquariums before

ENVIRO

This pesticide is high
to water or wetland
potholes. Drift from t
organisms in adjacen
water when disposing

Buyer assumes all ris
product not in strict
herewith.