

Page # 4816-574

PM-17

121

CODE 726.51

SYNTHRIN® WHITEFLY SPRAY

Use in homes and greenhouses.

ACTIVE INGREDIENTS	
*Resmethrin	24.30%
Related Compounds	3.30%
**INERT INGREDIENTS	72.40%
	100.00%

*Cis/trans isomer ratio: max. 30% (±) cis and min. 70% (±) trans.

**Contains heavy aromatic naphtha

Net Content: 3.65, 007

KEEP OUT OF REACH OF CHILDREN

WARNING

See side panel for additional precautionary statements

General Instructions: This container will dispense premeasured dosages of material. Each push of the actuator button will dispense 1 teaspoon of concentrate. To make a gallon of finished dilution, push the actuator one time.

Contact Spray: For whiteflies, apply at 1 teaspoon per 1 gallon of water (0.6 ml/pint). Spray upper and lower surfaces of plant foliage to point of runoff. Spray in later afternoon and at night only, when the temperature ranges from 59°F to 72°F. Repeat application weekly for four weeks or longer for control of adults and nymphs. Complete spray schedule on poinsettia before blooms form.

Greenhouse Pests: For infestation of whiteflies on begonias, fuschia, salvia, poinsettia, chrysanthemums, coleus, geraniums, ageratum, petunia, aster, asterisk, marigold, roses, azaleas, and ivy.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Causes eye irritation. Do not get in eyes. Do not spray on food or feed crops.

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed:** Call a physician or Poison Control Center immediately. ~~Call for dosage as indicated if material was taken internally. DO NOT INDUCE VOMITING! Vomiting may cause aspiration pneumonia.~~
- If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated.
- If on Skin:** Remove contaminated clothing and wash affected areas with soap and water.
- If in Eyes:** Flush eyes with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Do not apply directly to lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

SYNTHRIN - Registered trademark of Fairfield American Corporation

EPA Reg. No. 4816-574
EPA Est. No. 279-SY-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ACCENT

MAY 10 1982

4816-574

EPA Reg. No.

BEST AVAILABLE COPY _____ **BATCH** _____

NET CONTENTS _____

Printed in U.S.A.

FAIRFIELD AMERICAN CORPORATION

1812 Salt Road
Merrick, N.Y. 11101

Reg no: 4816-574

PM-17

19

BEST AVAILABLE COPY

CODE 726.51

SYNTHRIN® WHITEFLY SPRAY

For use in homes and greenhouses.

ACTIVE INGREDIENTS:

*Resmethrin: [5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-ethyl-1-propenyl) cyclopropane-carboxylate	24.30%
Related compounds	3.30%
Heavy aromatic naphtha	66.40%
INERT INGREDIENTS:	6.00%
	<u>100.00%</u>

*Cis/trans isomer ratio: max. 30% (+) cis and min. 70% (+) trans. U.S. Patent No. 3,465,007

KEEP OUT OF REACH OF CHILDREN
WARNING
See side panel for additional precautionary statements

General Instructions: This container will dispense premeasured dosages of material. Each push of the actuator button will dispense 1 teaspoon of concentrate. To make a gallon of finished dilution, push the actuator one time.

Contact Spray: For whiteflies, apply at 1 teaspoon per 1 gallon of water (0.6 ml/pint). Spray upper and lower surfaces of plant foliage to point of runoff. Spray in later afternoon and at night only, when the temperature ranges from 50°F to 72°F. Repeat application weekly for four weeks or longer for control of adults and nymphs. Complete spray schedule on poinsettia before blooms form.

Greenhouse Pests: For infestation of whiteflies on begonias, fuschia, salvia, poinsettia, chrysanthemums, coleus, geraniums, ageratum, petunia, aster, calendula, marigold, roses, azaleas, and ivy.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Causes eye irritation. Do not get in eyes. Do not spray on food or feed crops.

ACCEPTED
MAY 10 1982
U.S. Environmental Protection Agency
Fungicide and Repellent Division
as amended, for the pesticide
registered under
EPA Reg. No. 4816-574

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed:** Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING: vomiting may cause aspiration pneumonia.
- If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated.
- If on Skin:** Remove contaminated clothing and wash affected areas with soap and water.
- If in Eyes:** Flush eyes with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Do not apply directly to lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BATCH

[Empty box for batch number]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NET CONTENTS: _____

Printed in U.S.A.