

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

DEC 0 3 1991

Ms. P. Leanne Pruett Fairfield American Corp. 809 Harrison Street Frenchtown, NJ 08825

Revised Label Subject:

Multi-purpose Alleviate Insecticide Concentrate

EPA Reg. No. 4816-575

Resubmission: January 23, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As new labels are prepared:

- (1) Change the reference to read "and on Growing Ornamental Crops".
- (2) Delete the 2 references to mosquito control. There are no directions for mosquitoes.

Sincerely,

Richard Mountfort Product Manager 10 Insecticide & Rodenticide Branch Registration Division (H7505C)

MULTI-PURPOSE ALLEVIATE INSECTICIDE CONCENTRATE

EPA Reg. No. 4816-575

EPA Est. No. 279-NY-1

- * May Be Diluted With Either Water Or Oil
- For Use in Bakeri 23, Bottling Plants, Canneries, Flour Minis, Food Processing Plants, Grain Elevators, Hospitals, Hote's, Motels, Restaura. is, And Outdoors For Mosquito Control And On Growing Crops.
- Designed For Use in All Areas Of Official Establishmen's Operating Under The Meat, Pourry, Shell Egg Gading And Egg Products Inspection Programs.

ACTIVE INGREDIEF TS0.08% Related Compounds ... Piperonyl Butoxide, Technical10.00% "INERT INGREDIENTS......88.92% 100.00%

*Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0% related compounds

**Contains Petroleum Distillate

ALLEVIATE- Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See rear panel for additional precautions.

NET CONTENTS



FAIRFIELD **AMERICAN** CORPORATION

1 201 ROUTE 17 NORTH, RUTHERFORD, NJ 07070

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

KILLS ON CONTACT EXPOSED OR ACCESIBLE STAGES OF:

Aphids Leafhoppers Diamond back Caterpiller Diamondback Moth Larvae Flan Beetie

Harlequin Bug Whitelly Mosquitoes Stink Bug

If used as a space spray in edible product areas of Federally inspected meat, poultry, shell egg grading, and egg product establishments, a dilution of no less than 1 to 1 (50%) is acceptable and it must be dispersed as an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

When diluting in water, prepare only the amount required for immediate use. Holding a water dilution more than 24 hours is not recommended.

This concentrate is designed to be diluted with water or oil before use. The resulting spray solution should be applied using good mechanical or compressed air logging equipment.

ORNAMENTALS (African Violets, Asters, Azaleas, Begonias, Camellias, Camations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladioli, Marigolds, Roses, Rubber Plants, Wandering Jow, etc.): Aphids, Flea Beetles, and Leafhoppers.

DROSOPHILA OR FRUIT FLY CONTROL: Inside canneries and processing plants: Entire space should be sprayed at a dilution of 6 parts concentrate to 59 parts water (6 pints with 7 gallons 3 pints water or 12 tablespoons with 3 1/4 pints water). At the rate of 1 gallon to 750 square feet (1 quart to 187 square feet), direct spray on walls, ceilings, and floors, paying special attention to forcing spray into all cracks and crevices.

STORAGE OR DISPOSAL

Do not contaminate water, food or feed by storage or disposal PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperature. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary tandful, or by other approved State and local procedures.

ODE 72076

CONTAINERS ONE GA container. Wrap contain discard in trash,

PRECAUTI HAZARDS TO HUI

Harmful if swallowed Rebefore spraying. Do n respirator of a type recor give adequate protection clothing. Wash exposed handling and before eat clothing with soap and remove all patients prior hours before returning p

Do not apply while food any time as an undiluted inspected meat and pou covered before treatmen surfaces before reuse. inspected meat and poul must be washed and rin

When using in animal qu or food supplements. W

ENVIRO

This product is toxic to fis or ponds. Do not apply apply when weather cor not contaminate water wastes. Shrimp and o recommended on this la tant resources.

⊇n not us**∉**, pour or spit

Buyer assumes all risks not in spict accordance