MAR 1 2 1991

Nu. P. Leanne Praett Pairfield American Corporation 809 Warrison Street Preachtown, NJ 08825

Dear Ms. Preett:

Subject: Revised Labels

Multi-Purpose Alleviate Insecticide Concentrate

EPA Registration No. 4816-575

Alleviate 25-2 M.A.G.C.

EPA Registration No. 4816-631

Your Submission Dated Pebruary 20, 1991

The labeling referred to above, submitted in connection with registration under the Pederal Insecticide, Pungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Richard P. Mountfort Product Manager (10) Inmedicide-Rodenticide Branch Registration Division (N7505C)

Enclosure

62471:I:A-4:Hountfort:L10-6:KEVRIC:03/07/91:04/05/91:DD:wo:DD:aw

CODE 72076

MULTI-PURPOSE ALLEVIATE INSECTICIDE CONCENTRATE


EPA Reg. No. 4816-575

EPA Est. No. 279-NY-1

- * May Be Diluted With Either Water Or Oil
- # For Use in Bakeries, Bottling Plents, Canneries, Flour Mills, Food Processing Plents, Grain Elevators, Hospitals, Hotels, Motels, Restaurants, And Outdoors Eq. Use. Of Greening Ornamental Crops.
- Designed For Use in All Areas Of Official Establishments Operating Under The Mest, Poultry, Shell Egg Grading And Egg Products Inspection Programs.

*Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0% related compounds **Contains Petroleum Distillate

ALLEVIATE- Registered Trademark of Fairfield American Corporation.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

KILLS ON CONTACT EXPOSED OF ACCESIBLE STAGES

Aphide Leefhoppers Diamondback Caterpiller Diamondback Moth Larvee Flee Beetle Harlequin Bug Stink Bug Whitefly

If used as a space spray in edible product areas of Federally Inspected meat, poultry, shell egg grading, and egg product establishments, a dilution of no less than 1 to 1 (50%) is acceptable and it must be dispersed as an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

When diluting in water, prepare only the amount required for immediate use. Holding a water dilution more than 24 hours is not recommended.

This concentrate is designed to be diluted with water or oil before use. The resulting spray solution should be applied using good mechanical or compressed air fogging equipment.

ORNAMENTALS (African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladioli, Marigolds, Roses, Rubber Plants, Wandering Jew, etc.): Aphids, Flee Beetles, and Leafhoppers.

DROSOPHILA OR FRUIT FLY CONTROL: inside canneries and processing plants: Entire space should be sprayed at a cliution of 6 parts concentrate to 59 parts water (6 pints with 7 gallons 3 pints water or 12 tablespoons with 3 1/4 pints water). At the rate of 1 gallon to 750 square feet (1 quart to 187 square feet), direct spray on walls, ceilings, and floors, paying special attention to forcing spray into all cracks and crevices.

STORAGE OR DISPOSAL

Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperature, in case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

CONTAINERS ONE GALL container. Wrap container discard in trash.

PRECAUTION HAZARDS TO HUMA

Harmful If swallowed. Faqueria before spraying, mask or respirator of a typ of Mines to give adequa Wear protective clothing, soap and water after ham Wash all contaminated correuse. In hospitals, rem Ventilate area for two (2)

Do not apply while food plat any time as an undilut Federally inspected meat removed or covered befollood processing surfaces plants and Federally insignificant surfaces in processing a potable water after sprayl

When using in animal qui water or food supplements milking.

ENVIRONI

This product is toxic to i streams, or ponds. Do not poly when weat treated. Do not contamil or disposal of wastes, application rates recommended these are important.

PHYSICAL AN

Do not use, pour or spill

Buyer assumes all risks product not in strict accor