301 3881 (41 13 JAN 25 1991

Ms. P. Leanne Pruett Pairfield American Corporation 809 Harrison Street Frenchtown, NJ 08825

Dear Ms. Pruett:

Subject: Amended Labeling

Alleviate 1-0.2 Food Plant Spray LPA Registration No. 4816-576

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable. A stamped copy of the label is enclosed for your records.

Sincerely yours,

Phil Hitton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

51285:I:WP5_0:Mendelsohn:C.Disk:KENCO:12/06/90:DD:VO:EK:DD CONCURRENCES								
SYMBOL	N							
SURNAME	N		1		<u> </u>	.,) · · · · · · · · · · · · · · · · · · ·	
DATE								
EPA Form	1320-1 (12-70)	· *	<u> </u>	 	<u> </u>	L	OFFICE	AL FILE COP

ALLEVIATE® 1-0.2 FOOD PLANT SPRAY

EPA Reg. No. 4816-576

EPA Est. No. 279-NY-1

- * An effective, ready-to-use synergized Esblothrin Insecticide
- * Designed Especially for Use in Edible Product Areas of Meat and Poultry Processing Plants. May Also be Used in Residences, Institutions, Warehouses and Office Buildings.

ACTIVE INGREDIENTS

d:1-allethrolone d-trans	
chrysanthemate	0.216%
*Piperonyl Butoxide, Technical	
"INERT INGREDIENTS	
	100 000%

*Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% related compounds

**Contains Petroleum Distillate


ALLEVIATE- Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions

NET CONTENTS



72141 101790E



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SPACE SPRAY

For rapid control of House Flies, Fruit Flies, Mosquitoes, Flying Moths and Gnats: Close doors and windows and shut off ventilating systems. Apply using a good sprayer adjusted to celiver a fine mist. Direct spray toward upper portions of the enclosure filling the room with mist. Use 1/2 to 1 ounce per 1000 cubic feet of space.

To kill exposed stages of Cockroaches, Ants, Spiders, Clover Mites, Cheese Mites, Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils and Grain Mites: Treat as above using 2 to 3 ounces per 1000 cubic feet of space. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment when reinfestation occurs.

SURFACE SPRAY

To insure maximum control of the crawling insects named above, apply as a coarse mist directed toward insects, into cracks and crevices, along baseboards, around the base of machinery, containers of stored products and other areas where insects may hide. Spray any trails, nests and points of entry. Spray badly intested areas daily. In other areas, repeat treatment twice weekly or when reinfestation occurs.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store unright at room temperature. Avoid exposure to extreme temperature. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste. PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offerfor recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

CODE 72141

STATEMENT OF PRACTIC

IF SWALLOWED: Contact a physicenter immediately. Do not indumally cause aspiration pneumonials in INHALED: Remove affected Apply artificial respiration if indicated IF ON SKIN: Remove contaminal affected areas of skin with soap attention if irritation persists.

IF IN EYES: Flush with plenty attention if irritation persists.

PRECAUTIONARY ST HAZARDS TO HUMANS & DO CAUTION

Harmful if swallowed. Avoid corclothing. Avoid breathing spray rain of feed and foodstuffs. The food processing establishments time periods when the plant is reshould be removed or covered prevent contamination before tre application directed towards store should be made toward contain tamination of the food.

Food contact surfaces and equipwith an effective cleaning compotable water rinse after treatme

Facilities and equipment in federa poultry plants must be washed wi compound followed by a potable ment.

Remove pets, birds, and cover fis ing.

ENVIRONMENTAL

This product is highly toxic to fish to water or wetlands (swamps potholes). Drift from treated area organisms in adjacent aquatic sit water when disposing of equipm

Buyer assumes all risks of use, this product not in strict accordan herewith.