

Alleviate®

GENERAL PURPOSE HOUSEHOLD SPRAY

EPA Reg. No. 4816-577

EPA Est. No. 279-NY-1

Effective, Fast Acting Synergized Alleviate® Insecticide

FOR USE IN HOMES, INSTITUTIONS, RESTAURANTS
AND FOOD PROCESSING PLANTS

Kills on contact exposed or accessible stages of:

Angoumois Grain Moths
Confused Flour Beetles
Saw Toothed Grain Beetles
Mediterranean Flour Moths
Brown Dog Ticks in
Buildings
Rusty Grain Beetles
Small Flying Moths
Meal Worms
Indian Meal Moths
Cherry Mites
Red Flour Beetles

Roaches
Silverfish
Ants
Flies
House Flies
Gnats
Hornets
Mosquitoes
Meal Moths
Rice Weevil
Carpenter Beetles
Clothes Moths

Fruit Flies
Crickets
Spiders
Caddises
Stinkbugs
Worms
Sand Flies
Bedbugs
Grain Mites
Spider Beetles
Granary Weevils

ACTIVE INGREDIENTS:

d/l-allethrolone d-trans chrysanthemate	0.050%
Related Compounds	0.004%
*Piperonyl Butoxide, Technical	0.500%
**INERT INGREDIENTS	99.446%
	100.000%

*Equivalent to 0.10% (butylcarbityl)(6-propyl-piperonyl) ether and 0.10% related compounds

**Contains Petroleum distillate

ALLEVIATE - Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN
CAUTION

See rear panel for additional precautions

BATCH

**FAIRFIELD
AMERICAN
CORPORATION**

201 Route 17 North, Rutherford, N.J. 07070

NET CONTENTS: _____

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

SPACE SPRAY: For rapid control of Houseflies, Fruit Flies, Mosquitoes, Gnats, Small Flying Moths, Sand Flies, Weevils and Hornets: Close doors and windows and shut off ventilating systems. Apply using a good machine adjusted to deliver a fine mist. Direct spray toward the upper portions of the room to fill the entire area with mist, using 1 to 2 ounces per 1000 cubic feet of space. Vacate the treated area and ventilate before reoccupying. Keep doors closed for ten minutes after treating. Repeat application when reinfestation occurs.

SURFACE APPLICATION: To control roaches, silverfish, crickets and spiders: Apply as a coarse walling spray directed into locations where these insects may hide, behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, around plumbing, drains and in dark corners and into cracks and crevices, hitting insects with the spray whenever possible. Repeat treatment as necessary.

Against ant infestations, treat shelves, cabinets and storage areas; spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally. Repeat treatment as necessary.

In controlling Fleas and Brown Dog ticks in houses, direct the application toward the lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed.

To control bedbugs effectively, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and lock joints. Treat walls, baseboards, moldings, floors, closets and bedroom furniture, picture frames, with particular attention to protected bedbug hiding and breeding places.

For most effective control of clothes moths and carpet beetles, remove infested articles from storage, brush thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally in empty chests, closets, bureaus and storages, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to the seams to avoid the possibility of staining. Treat both sides of rugs, carpets and pads, and all exposed and accessible surfaces of overstuffed furniture. Do not overspray if products are made of rubber or are rubber coated, to prevent expansion or swelling. Repeat treatments monthly unless the articles are stored in moth light containers.

To control infestations of granary weevils, rice weevils, sawtoothed grain beetles, confused flour beetles, rusty grain beetles, red flour beetles, caddises, meal worms, grain mites, Angoumois grain moths, Indian meal moths and Mediterranean flour moths in food storage areas: If possible clean out and destroy any infested food products. Otherwise fumigation or other effective treatment should be made using an approved product intended for this purpose. Apply this spray thoroughly to all surfaces of shelves, cabinets, bins, pantries and similar food storage areas with particular attention to cracks, crevices, niches and other hiding places.

FOG OR VAPOR SPRAY: To kill accessible or exposed stages of insects named on this label (excepting clothes moths, bedbugs and carpet beetles): Apply using conventional mechanical or compressed air equipment. Fill the entire area with mist using 3 to 8 ounces per 1000 cubic feet of space. Repeat treatment as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds, and cover fish aquaria before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center immediately. Do NOT induce vomiting unless directed to do so by a physician. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES OR ON SKIN: Flush affected areas with plenty of water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given hereon.