

ALLEVIATE INDUSTRIAL SPRAY E.C.

CODE 722.31

Ind. Insect Spray
Diluted With Either Water Or Oil
Provides Rapid Kill of Insects Without Leaving
 objectionable Residues or Odor

IVE INGREDIENTS:
Allethrin (Allyl Homolog of Chlorthrin) 2.000
Related Compounds..... 0.001
Peronyl Butoxide, Technical..... 10.000
Petroleum Distillate..... 10.000
NET INGREDIENTS..... 10.001
100.001

Equivalent to 8% (butylcarbitol)-6-propyl-
(peronyl) ether and 2% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Side panel for additional precautions

A Reg. No. 4916-586
A Est. No. 279-NY-1

DIRECTIONS FOR USE

is a violation of Federal law to use this
product in a manner inconsistent with its
labeling.

Diluting with water, where appropriate,
is needed for immediate use. Dilution
or dilution more than 24 hours is not re-
quired. Agitate occasionally. Shake well
before use. A deodorized ether extract is
added.

Use premises. Do not use in food areas.
Do not use in food areas.

Do not use in food areas.

Do not use in food areas.

Do not use in food areas.

Do not use in food areas.

NET CONTENTS

AS A SURFACE SPRAY: For initial cleaning of
severe insect infestations, dilute at a rate
of 1 part concentrate in 4 parts water or oil.
This dilution may not be used in edible areas.
In areas of federally inspected meat and
poultry plants, in these plants and for other
infestations, dilute 1 part concentrate in 4
parts water or oil.

To control roaches, ants, silverfish, spiders,
crickets, clover mites, cheese mites, granary
weevils, rice weevils, confused flour beetles,
rusty flour beetles, saw-toothed grain
beetles, spider beetles, cigarette beetles,
drugstore beetles, meal worms, grain mites,
etc. Use a good spray nozzle. Apply directly
to the insects. For ants, spray directly on the
trails. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

For ants, spray trails, nests, and other
entry. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

For ants, spray trails, nests, and other
entry. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

For ants, spray trails, nests, and other
entry. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

For ants, spray trails, nests, and other
entry. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

For ants, spray trails, nests, and other
entry. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

For ants, spray trails, nests, and other
entry. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

For ants, spray trails, nests, and other
entry. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

For ants, spray trails, nests, and other
entry. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

For ants, spray trails, nests, and other
entry. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

For ants, spray trails, nests, and other
entry. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

For ants, spray trails, nests, and other
entry. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

For ants, spray trails, nests, and other
entry. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

For ants, spray trails, nests, and other
entry. For silverfish, spray directly on the
insects. For spiders, spray directly on the
insects. For crickets, spray directly on the
insects. For clover mites, spray directly on the
insects. For cheese mites, spray directly on the
insects. For granary weevils, spray directly on the
insects. For rice weevils, spray directly on the
insects. For confused flour beetles, spray directly on the
insects. For rusty flour beetles, spray directly on the
insects. For saw-toothed grain beetles, spray directly on the
insects. For spider beetles, spray directly on the
insects. For cigarette beetles, spray directly on the
insects. For drugstore beetles, spray directly on the
insects. For meal worms, spray directly on the
insects. For grain mites, spray directly on the
insects.

AS A SPACE SPRAY: Dilute at a rate of 1 part
concentrate in 4 parts water or oil. Apply
with mechanical or compressed air equipment
(no thermal) adjusted to deliver a fine mist.
Close doors and windows and shut off ventila-
ting systems for rapid control of flies,
fruit flies, gnats, mosquitoes, house flies,
wasps, hornets, Angoumois grain moths, Medi-
terranean flour moths, Indian meal moths, and
other moths. Direct spray at an upward angle,
distributing it uniformly through the entire
area at a rate of 1 ounce per 1000 cubic feet
of space. Keep area closed for at least 10
minutes. Ventilate and sweep up dead insects
before spraying.

For control of insects in inaccessible stages
of the insects, use this label, dilute 1
part concentrate in 4 parts water or oil.
Apply using mechanical or compressed air equi-
pment (no thermal) at following directions:
For flies, gnats, mosquitoes, house flies,
wasps, hornets, Angoumois grain moths, Medi-
terranean flour moths, Indian meal moths, and
other moths.

For control of insects in inaccessible stages
of the insects, use this label, dilute 1
part concentrate in 4 parts water or oil.
Apply using mechanical or compressed air equi-
pment (no thermal) at following directions:
For flies, gnats, mosquitoes, house flies,
wasps, hornets, Angoumois grain moths, Medi-
terranean flour moths, Indian meal moths, and
other moths.

DISPOSAL

Do not use in food areas. Do not use in
food areas. Do not use in food areas.

Do not use in food areas. Do not use in
food areas. Do not use in food areas.

Do not use in food areas. Do not use in
food areas. Do not use in food areas.

Do not use in food areas. Do not use in
food areas. Do not use in food areas.

Do not use in food areas. Do not use in
food areas. Do not use in food areas.

Do not use in food areas. Do not use in
food areas. Do not use in food areas.

Do not use in food areas. Do not use in
food areas. Do not use in food areas.

Do not use in food areas. Do not use in
food areas. Do not use in food areas.




Do not use in food areas. Do not use in
food areas. Do not use in food areas.

Do not use in food areas. Do not use in
food areas. Do not use in food areas.

Do not use in food areas. Do not use in
food areas. Do not use in food areas.

Do not use in food areas. Do not use in
food areas. Do not use in food areas.

Do not use in food areas. Do not use in
food areas. Do not use in food areas.



FAIRFIELD
AMERICAN
CORPORATION

3882 Salt Road
Medina, New York 14103

16H

CODE 722.31

ALLEVIATE INDUSTRIAL SPRAY E.C.

ALLEVIATE INDUSTRIAL SPRAY E.C.

1. Dilute with water 1:1.

2. Des Rapid Kill of Insects without leaving
Residues on food.

INGREDIENTS

Allelate, a liquid insecticide, is a derivative of
pyrethrin, and is a powerful insecticide. It is
effective against a wide range of insects, including
household pests, agricultural pests, and industrial
pests. It is a powerful insecticide, and is a
derivative of pyrethrin, and is a powerful insecticide.

equivalent to 9% (butylcarbityl)(6-propyl-
peronyl) ether and 2% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Side panel for additional instructions.

A Reg. No. 4816-580
Est. No. 100-NY-1

DIRECTIONS FOR USE

A violation of Federal Law is
in a manner inconsistent with the
law.

1. Diluting with water, 1:1, is
needed for immediate use. It is
effective against a wide range of
insects, including household pests,
agricultural pests, and industrial
pests.

2. Premise, other than the
one in which it is used, should be
treated with water.

3. The treatment should be repeated
at intervals of 7 to 10 days.

4. The treatment should be repeated
at intervals of 7 to 10 days.

NET CONTENTS

ALLEVIATE SPACE SPRAY. For initial use in
severe insect infestations, dilute with water
1:1. This concentration may be used in all areas
of the premises. In these places, initial use
infestations, dilute with water 1:1.

1. Crickets, roaches, ants, silverfish, spiders,
crickets, clover mites, cheese mites, granary
weevils, rice weevils, confused flour beetles,
rusty flour beetles, sawtoothed grain
beetles, spider beetles, cigarette beetles,
storehouse moths, mealworms, grain mites, and
other insects. 2. Dilute with water 1:1. 3. Use
in all areas where insects are found, including
kitchens, pantries, and other areas. 4. Use
in all areas where insects are found, including
kitchens, pantries, and other areas. 5. Use
in all areas where insects are found, including
kitchens, pantries, and other areas.

1. Crickets, roaches, ants, silverfish, spiders,
crickets, clover mites, cheese mites, granary
weevils, rice weevils, confused flour beetles,
rusty flour beetles, sawtoothed grain
beetles, spider beetles, cigarette beetles,
storehouse moths, mealworms, grain mites, and
other insects. 2. Dilute with water 1:1. 3. Use
in all areas where insects are found, including
kitchens, pantries, and other areas. 4. Use
in all areas where insects are found, including
kitchens, pantries, and other areas.

1. Crickets, roaches, ants, silverfish, spiders,
crickets, clover mites, cheese mites, granary
weevils, rice weevils, confused flour beetles,
rusty flour beetles, sawtoothed grain
beetles, spider beetles, cigarette beetles,
storehouse moths, mealworms, grain mites, and
other insects. 2. Dilute with water 1:1. 3. Use
in all areas where insects are found, including
kitchens, pantries, and other areas. 4. Use
in all areas where insects are found, including
kitchens, pantries, and other areas.

1. Crickets, roaches, ants, silverfish, spiders,
crickets, clover mites, cheese mites, granary
weevils, rice weevils, confused flour beetles,
rusty flour beetles, sawtoothed grain
beetles, spider beetles, cigarette beetles,
storehouse moths, mealworms, grain mites, and
other insects. 2. Dilute with water 1:1. 3. Use
in all areas where insects are found, including
kitchens, pantries, and other areas. 4. Use
in all areas where insects are found, including
kitchens, pantries, and other areas.

ALLEVIATE SPACE SPRAY. For initial use in
severe insect infestations, dilute with water
1:1. This concentration may be used in all areas
of the premises. In these places, initial use
infestations, dilute with water 1:1.

1. Crickets, roaches, ants, silverfish, spiders,
crickets, clover mites, cheese mites, granary
weevils, rice weevils, confused flour beetles,
rusty flour beetles, sawtoothed grain
beetles, spider beetles, cigarette beetles,
storehouse moths, mealworms, grain mites, and
other insects. 2. Dilute with water 1:1. 3. Use
in all areas where insects are found, including
kitchens, pantries, and other areas. 4. Use
in all areas where insects are found, including
kitchens, pantries, and other areas.

1. Crickets, roaches, ants, silverfish, spiders,
crickets, clover mites, cheese mites, granary
weevils, rice weevils, confused flour beetles,
rusty flour beetles, sawtoothed grain
beetles, spider beetles, cigarette beetles,
storehouse moths, mealworms, grain mites, and
other insects. 2. Dilute with water 1:1. 3. Use
in all areas where insects are found, including
kitchens, pantries, and other areas. 4. Use
in all areas where insects are found, including
kitchens, pantries, and other areas.

DISPOSAL

1. Crickets, roaches, ants, silverfish, spiders,
crickets, clover mites, cheese mites, granary
weevils, rice weevils, confused flour beetles,
rusty flour beetles, sawtoothed grain
beetles, spider beetles, cigarette beetles,
storehouse moths, mealworms, grain mites, and
other insects. 2. Dilute with water 1:1. 3. Use
in all areas where insects are found, including
kitchens, pantries, and other areas. 4. Use
in all areas where insects are found, including
kitchens, pantries, and other areas.

1. Crickets, roaches, ants, silverfish, spiders,
crickets, clover mites, cheese mites, granary
weevils, rice weevils, confused flour beetles,
rusty flour beetles, sawtoothed grain
beetles, spider beetles, cigarette beetles,
storehouse moths, mealworms, grain mites, and
other insects. 2. Dilute with water 1:1. 3. Use
in all areas where insects are found, including
kitchens, pantries, and other areas. 4. Use
in all areas where insects are found, including
kitchens, pantries, and other areas.

1. Crickets, roaches, ants, silverfish, spiders,
crickets, clover mites, cheese mites, granary
weevils, rice weevils, confused flour beetles,
rusty flour beetles, sawtoothed grain
beetles, spider beetles, cigarette beetles,
storehouse moths, mealworms, grain mites, and
other insects. 2. Dilute with water 1:1. 3. Use
in all areas where insects are found, including
kitchens, pantries, and other areas. 4. Use
in all areas where insects are found, including
kitchens, pantries, and other areas.

FAIRFIELD
AMERICAN
CORPORATION

3832 Set Road
Madison, New York 14105

16A