

Alleviate® Industrial Spray E.C.

EPA Reg. No. 4816-580

EPA Est. No. 279-NY-1

A Food Industry Insect Spray

May Be Diluted With Either Water Or Oil

Provides Rapid Kill of Insects without Leaving Objectionable Residues or Odor

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

When diluting with water, prepare only the amount needed for immediate use. Holding a water dilution more than 24 hours is not recommended. Agitate occasionally. For oil dilutions, a deodorized petroleum oil is recommended.

Vacate premises after treatment and ventilate before reoccupying.

Repeat treatment when reinfestation occurs.

For maximum effectiveness, a combination of localized surface application and space treatment is recommended.

AS A SURFACE SPRAY:

For initial clean up of severe insect infestations, dilute at a rate of 1 part concentrate in 4 parts of water or oil. This dilution may not be used in edible product areas of federally inspected meat and poultry plants. In these plants and for general infestations, dilute 1 part concentrate in 8 parts water or oil.

To control roaches, ants, silverfish, spiders, crickets, silver flies, cheese mites, granary weevils, rice weevils, confused flour beetles, rust-red flour beetles, sawtoothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites, and cadellids: Use a good sprayer adjusted to deliver a coarse wet spray. Direct the spray into and along cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If a same application only is to be used, spray floors, walls and other surfaces at a rate of 1 gallon to 750 square feet of surface.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

To control fleas and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

AS A SPACE SPRAY:

Dilute at a rate of 1 part concentrate to 19 parts water or oil. Apply with mechanical or compressed air equipment (non-thermal) adjusted to deliver a fine mist. Close doors and windows and shut off ventilating systems. For rapid control of flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, Argemids, and moths, Mediterranean flour moth, Indian meal moth, etc., use the direct spray application upward angle distribute in the family living area at a rate of 1 ounce per 1000 cubic feet of space. Keep doors closed for at least 10 minutes. Ventilate and sweep up dead insects before reoccupying.

For rapid kill of exposed or accessible stages of the insects named on this label, dilute 1 part concentrate to 10 parts water or oil. Apply with mechanical or compressed air equipment (not thermal). Following directions for space spraying. Only the above dilution is safe for use at a rate of 1 ounce per 1000 cubic feet of space.

When used in meat and poultry processing plants, a dilution of no less than 1 to 1 (50%) is acceptable and it must be dispersed from equipment adjusted to deliver an aerosol spray of droplets over 50 microns in diameter and 80% less than 30 microns.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL: PRECAUTIONS:

Store in a cool, dry place. Avoid exposure to heat, fire, or flames. In case of spill, leakage, or breakage, contain material such as sand, sawdust, earth, litter, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL:

Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of after by an approved waste disposal facility.

CONTAINER DISPOSAL:

Empty these (or equivalent) them off, for recycling or for reconditioning, or puncture and crush in a sanitary landfill, or by other approved State and local procedures.

CONTAINER ONE GALLON AND SMALLER:

Do not reuse container. Lay container in several layers of newspaper and discard in fire.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Food should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Remove any birds, pets or fish aquarium before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, and ponds.

PHYSICAL OR CHEMICAL HAZARDS

Do not pour or spill near open flame.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

Not Reviewed. Registration claims to be in accordance with the provisions of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, and the status of the product.

ACTIVE INGREDIENTS:

d/l-allethrolone d-trans chrysanthemate	1.00%
Related Compounds.....	0.08%
*Piperonyl Butoxide, Technical	10.00%
**INERT INGREDIENTS	89.00%
	100.00%

*Equivalent to 8.00% (butylcarbitol)(6-propyl-piperonyl) ether and 2.00% related compounds

**Contains Petroleum distillate

ALLEVIATE - Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautions

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Contact a Physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician. Vomiting may cause aspiration pneumonia.

If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.

If In Eyes: Flush with plenty of water. Contact a physician if irritation persists.

If On Skin: Remove contaminated clothing and wash affected areas of skin with soap and water.

NET CONTENTS:

FAIRFIELD
AMERICAN
CORPORATION

201 Route 17 North, Rutherford, N.J. 07070

BATCH