

develops, get medical attention.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes.) Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY

9555

PM 17 4816-580 P. 132
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OCT 01 1990

300 / 382688
17

Mr. Jan Brill
Fairfield American Corporation
809 Harrison Street
Frenchtown, NJ 08825

Dear Mr. Brill:

Subject: Final Printed Labeling
EPA Registration No. 4816-580

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Please note you have still not responded to item 1 of the Agency's October 13, 1989 letter.

Sincerely yours,

Phil Hutton

Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

BEST AVAILABLE COPY

51274:I:WP5.0:A-4:Mendelsohn:C.Disk:KENCO:09/11/990:DD:VC:EK:DD

CONCURRENCES

ALLEVIATE®

INDUSTRIAL SPRAY E.C.

EPA Reg. No. 4816-580

EPA Est. No. 279-NY-1

* **A Food Industry Insect Spray*** **May Be Diluted With Either Water or Oil*** **Provides Rapid Kill of Insects without Leaving Objectionable Residues or Odor****ACTIVE INGREDIENTS**

d1-allethrolone d-trans	
chrysanthemate	1.08%
*Piperonyl Butoxide, Technical	10.00%
**INERT INGREDIENTS	88.92%
	100.00%

*Equivalent to 8.00% (butylcarbityl) (6-propyl-piperonyl) ether and 2.00% related compounds

**Contains Petroleum Distillate

ALLEVIATE- Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION**STATEMENT OF PRACTICAL TREATMENT**

IF SWALLOWED: Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas of skin with soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

See side panel for additional precautions

NET CONTENTS _____



FAIRFIELD
AMERICAN
CORPORATION

201 Rt. 17 North Rutherford, NJ 07070

72231 040990

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

When diluting with water, prepare only the amount needed for immediate use. Holding a water dilution more than 24 hours is not recommended. Agitate occasionally. For oil dilutions, a deodorized petroleum oil is recommended.

Vacate premises after treatment and ventilate before reoccupying.

Repeat treatment when reinfestation occurs.

For maximum effectiveness, a combination of localized surface application and space treatment is recommended.

AS A SURFACE SPRAY:

For initial clean up of severe insect infestations, dilute at a rate of 1 part concentrate in 4 parts of water or oil. This dilution may not be used in edible product areas of Federally inspected meat and poultry plants. In these plants and for normal infestations, dilute 1 part concentrate in 9 parts water or oil.

To control *Roaches, Ants, Silverfish, Spiders, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust-red Flour Beetles, Sawtoothed Grain Beetles, Spider Beetles, Cigarette Beetles, Drugstore Beetles, Meal Worms, Grain Mites* and *Cadelles*: Use a good sprayer adjusted to deliver a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For *Silverfish*, spray bookcases. For *Ants*, spray trails, nests and points of entry. If surface application only is to be used, spray floors, walls and other surfaces at a rate of 1 gallon to 750 square feet of surface.

To control *Carpet Beetles*: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat treatment as needed.

To control *Bedbugs*: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and

spray in all joints. Treat floors. Repeat treatment.

To control *Flies and Fleas*: Spray infested areas of cracks and crevices, moldings, window and of floor and floor coverings placed in animal quarters. Repeat treatment of animals is recommended.

AS A SPACE SPRAY:

Dilute at a rate of 1 part concentrate in 4 parts of water or oil. Apply with mechanical (non-thermal) atomization. Close doors and windows. For rapid control of *Mosquitoes, Skipper Moths, Indian Meal Moths* and *goumols Grain Moths* at an upward angle distribute the entire area at a rate of 1 gallon to 750 square feet of space. Keep area closed and ventilate and sweep up debris.

For rapid kill of exposed insects named on this label, use 1 to 9 parts water or oil. compressed air equipment. Follow directions for space spray at rate of from 1 to 10 gallons per 1000 square feet of space.

When used in meat processing plants, dilution of not less than 1 part concentrate in 9 parts water must be dispersed from an aerosol spray (nozzle diameter and 80% less).

STORAGE

Do not contaminate water. Dispose of excess product.

PESTICIDE STORAGE

Store upright at room temperature. Do not store in extreme temperature.

up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed before treatment or covered in such a way as to prevent contamination. Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse after treatment.

Facilities and equipment in Federally inspected meat and poultry plants must be washed with an effective cleaning compound followed by a potable water rinse after treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, and ponds. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 01 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

4816-580