

Alleviate[®] GRAIN PROTECTANT E.C.

For the preparation of Alleviate[®] Grain Protectant spray to be used on Corn, Barley, Wheat, Oats, Rye and Grain Sorghum held in storage.

Diluted with water according to directions, spray will control the exposed stages of rice weevil, granary weevil, confused flour beetle, lesser grain borer, sawtoothed grain beetle and flat grain beetle.

When properly applied the Alleviate Grain Protectant spray should be effective for at least a full storage season or approximately 6 months.

When used as directed, the residues of Alleviate Grain Protectant spray do not affect the grade or germination of the grain to which it is applied.

ACTIVE INGREDIENTS:	
Allethrin (Allyl Homolog of Cinerin I)	15.00%
Related Compounds	1.67%
*Piperonyl Butoxide, Technical	60.00%
Petroleum Distillate	6.00%
INERT INGREDIENTS:	17.33%
	100.00%

*Equivalent to 48% (butylcarbityl) (6-propyl-piperonyl) ether and 12% related compounds.

ALLEVIATE — Registered Trademark of Fairfield American Corporation

EPA Reg. No. 4816-581 EPA Est. No. 279-NY-1

KEEP OUT OF REACH OF CHILDREN.
CAUTION
Harmful if swallowed.
See side panel for additional precautionary statements.

NET CONTENTS _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

At a convenient time before the grain is to be stored, thoroughly sweep and clean the bin or other storage places of grain, being careful to remove all lots of waste from inside and around the bin. Then apply Alleviate Grain Protectant Emulsifiable Concentrate diluted and agitated with 59 parts of water and thoroughly wet the ceilings, walls, partition boards, etc. to kill insects in cracks and crevices. One gallon of the diluted spray covers about 750 square feet of surface.

When the grain is ready for storage, dilute Alleviate Grain Protectant Emulsifiable Concentrate at the rate of 1 part of concentrate with 29 parts of water. Agitate or mix well.

Application, at the rate of 5 gallons of diluted Alleviate Grain Protectant Emulsifiable Concentrate for every 1000 bushels of grain should be made to the stream of grain going into storage. The diluted spray is applied at an even rate onto the grain at such a point that the grain will be tumbled and mixed before it enters the storage bin. For large installations, such as terminal and mill elevators, application should be made on the conveyor belt just ahead of the tripper. For country and line elevators it should be made as the grain enters the auger conveyor or at any convenient point prior to the grain entering the bin. Under farm storage conditions the spray should be applied into the hopper of the auger, hiker or conveyor. Small lots of grain may be sprayed and then mixed by hand.

Monthly inspections of stored grain, whether fumigated or treated with Alleviate Grain Protectant should be made. If the top two or three inches of grain are found to be infested, spray the surface evenly with diluted Alleviate Grain Protectant. For this application dilute 1 part of the concentrate with 19 parts of water and apply the diluted spray at the rate of 1 to 2 gallons per square foot of grain surface.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL:
Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL:
Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local authorities.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink a glass or two of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given here-with.

BATCH _____

185-9787

