

DEC 21 1990

Ms. P. Leanne Pruett
Fairfield American Corporation
809 Harrison Street
Frenchtown, NJ 08825

Dear Ms. Pruett:

Subject: Alleviate Garden Spray Concentrate
EPA Registration No. 4816-582
Your Letter Dated May 24, 1990

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

52337:I/C:Hollis:L17-18:KINCO:10/09/90:11/04/90:DD:vo:ek:de

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

CODE 72431

ALLEVIATE®

GARDEN SPRAY CONCENTRATE

EPA Reg No 4816 582

EPA Est. No. 279 NY-1

- * **A SYNERGIZED ESBIOTHRIN INSECTICIDE CONCENTRATE**
- * **DILUTE WITH WATER FOR USE ON ORNAMENTAL PLANTS**
- * **QUICK ACTING - LEAVES NO OBJECTIONABLE RESIDUES (BOTH OF THESE POINTS ARE UNDENIABLE)**

ACTIVE INGREDIENTS

d/l-allethrinone d trans chrysanthemate 1.08%

*Piperonyl Butoxide, Technical 10.00%

**INERT INGREDIENTS 88.92%

100.00%

*Equivalent to 8.0% (butylcarbityl) (6 propylpiperonyl) ether and 2.0% related compounds

**Contains Petroleum Distillate

ALLEVIATE Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a Physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected areas of skin with soap and water.

For additional precautions

NET CONTENTS



FAIRFIELD
AMERICAN

CORPORATION

201 ROUTE 17 NORTH, RUTHERFORD, NJ 07070

72431 050890

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This insecticide may be used outdoors or in greenhouses throughout the entire growing season.

Outdoors or in greenhouses to control the insects named below, dilute from 0.6 to 1.5 fluid ounces of concentrate with water to make 5 gallons of spray (or 1 to 3 tablespoons per 1 gallon). Apply to insure thorough coverage of upper and lower leaf surfaces.

Prepare only the amount of spray required. Holding diluted spray more than 24 hours is not recommended.

To control exposed stages of:

Aphids
Asparagus Beetle
Blister Beetle
Cabbage Looper
Colorado Potato Beetle
Cross-Striped Cabbage Looper
Diamondback Caterpillar
Diamondback Moth Larvae
Fireworm
Flea Beetle
Green Peach Aphid
Harlequin Bug
Imported Cabbage Worm
Leaf Hopper
Leaf Tier
Mexican Bean Beetle
12 Spotted Cucumber Beetle
Stink Beetle
Webworm
White Fly

ORNAMENTALS: (African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladioli, Marigolds, Roses, Rubber Plants, Wandering Jews, etc.),

For control of: **Aphids, Flea Beetle, Leafhopper**

STORAGE

Do not contaminate water.

PESTICIDE STORAGE

Store upright at room temperature.

with an absorbent material.

PESTICIDE DISPOSAL

water that cannot be used.

may be disposed of at a

facility.

CONTAINER DISPOSAL

offer for recycling or re

pose of in a sanitary lan

local procedures.

CONTAINERS ONE C

reuse container. Wra

newspaper and discar

PRECAUTIONS

HAZARDS TO HUMANS

Harmful if swallowed.

ENVIRONMENT

This pesticide is toxic or ponds. Do not contaminate or disposal of pes

Buyer assumes all risk product not in strict herewith.

4816-58