

Alleviate®

25-5 M.A.G.C.

EPA Reg. No. 4816-583 EPA Est. No. 279-NY-1

For Professional Use Only

To be applied only by or under the supervision of Pest Control Operators, Mosquito Abatement Districts, Public Health Organizations and other Trained Personnel responsible for Insect Control Programs.

For indoor or outdoor application as a space, area or contact spray. Dependent upon pests to be controlled and the area to be treated, may be applied through Mechanical Aerosol Generators (ULV) as well as conventional fogging or spraying equipment.

Designed for use in all areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

INDOOR USE AREAS:

Bakeries
Beverage Plants
Canneries
Food Processing Plants
Homes
Horse Barns
Hospitals
Hotels
Industrial Installations

Motels
Office Buildings
Zoos
Railroad Cars
Restaurants
Schools
Supermarkets
Truck Trailers
Warehouses

OUTDOOR USE AREAS:

Drive In Restaurants
Drive-In Theaters
Golf Courses
Urban Areas

Parks
Playgrounds
Recreational Areas
Residences
Zoos

ACTIVE INGREDIENTS:

d/l-allethrolone d-trans chrysanthemate	5.00%
Related Compounds	0.40%
*Piperonyl Butoxide, Technical	25.00%
**INERT INGREDIENTS	69.60%
	100.00%

*Equivalent to 20% (butylcarbityl) (6-propylpiperonyl) ether and to 5% related compounds.

**Contains Petroleum distillate

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See back panel for additional precaution statements.

ALLEVIATE — Registered Trademark of Fairfield American Corporation

**FAIRFIELD
AMERICAN
CORPORATION**

201 Route 17 North, Rutherford, N.J. 07070

NET CONTENTS: _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

Alleviate 25-5 M.A.G.C. is effective in the control of the indicated insects if the applicator follows the directions for use as enumerated below:

Angoumois grain moths	Horn flies
Ants	Hornbees
Boxelder bugs	Horse flies
Caddisflies	House flies
Cheese mites	Indian meal moths
Cheese skippers	Lice
Cigarette beetles	Mediterranean flour moths
Clover mites	Mosquitoes
Cockroaches	Mushroom flies
Confused flour beetles	Red flour beetles
Dark mealworms	Rice weevils
Deer flies	Sawtoothed grain beetles
Dried fruit beetles	Small flying moths
Drugstore beetles	Spider beetles
Earwigs	Stable flies
Fruit flies	Tobacco moths
Fungus gnats	Wasps
Gnats	Yellow mealworms
Grain mites	
Granary weevils	

INDOOR USE

AS A SPACE SPRAY, UNDILUTED

The use of this product in food processing or food handling establishments (bakeries, beverage plants, canneries, food processing plants, hospitals, industrial installations, restaurants, schools, supermarkets, and warehouses) should be confined to time periods when the plants or facilities are not in operation. This use is not appropriate at any time in edible product areas of federally inspected meat and poultry plants. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Hospital patients should be removed for 2 hours and rooms aired before re-entry. Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at a rate of 1/2 ounce per 1000 cubic

See Reverse Side

Not Reviewed. Registrant claims to be in accordance with
Registration of Pesticide Products of the Federal Government
Response, Page 212, Answer to Question 1 in Status.

PA 10/2
PM 17
EPA#
4816-583
1/20/90

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Contact a Physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician. Vomiting may cause aspiration pneumonia.

If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.

If In Eyes: Flush with plenty of water. Contact a physician if irritation persists.

If On Skin: Remove contaminated clothing and wash affected areas of skin with soap and water.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Remove pets, birds and cover fish aquariums before spraying. Do not breathe spray mist. Wear mask or respirator of a type recommended by the United States Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash exposed skin surfaces with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Do not apply directly to food. Do not apply space spray while food processing is underway. Foods should be removed or covered before treatments. Thoroughly wash all food processing surfaces before reuse. In federally inspected meat and poultry plants, all surfaces in processing areas must be washed and rinsed in potable water after spraying. In other food processing plants, if washing equipment, benches, shelving, etc. where exposed food will be handled, is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours. Except in federally inspected meat and poultry plants, food processing operations do not have to be stopped while spraying a wet spray with care and in accordance with the directions and precautions given above.

When using in animal quarters, do not apply directly to food, water or food supplements.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

PHYSICAL OR CHEMICAL HAZARDS

Do not pour or spill near open flame.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

BATCH

Pg. 2 of 2

130000

EPN