

ALLEVIATE[®] MALATHION MOSQUITO FOGGING INSECTICIDE

EPA Reg. No. 4816-584

EPA Est. No. 279-NY-1

DIRECTIONS FOR USE

- For Outdoor Fogging Application around Residences, Parks, Playgrounds, Golf Courses, Municipalities, Drive-In Theaters and Restaurants.
- Kills Mosquitoes, Gnats, Flies and Moths
- As a Contact Spray Indoors or Outdoors Kills Ants, Roaches, Spiders, Crickets, and Boxelder Bugs. Use as a Spot Surface Application avoiding any Contact with Food or Food Products

ACTIVE INGREDIENTS:

d,l-allethrin d-trans chrysanthemate	0.050%
Related Compounds	0.004%
*Piperonyl Butoxide, Technical	0.125%
**Malathion Technical	2.000%
***INERT INGREDIENTS:	97.821%
	100.000%

*Equivalent to 0.10% (butylcarbityl)(6-propylpiperonyl) ether and 0.025% related compounds.
 **O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate
 ***Contains Petroleum Distillate

ALLEVIATE - Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center immediately. Do not induce vomiting. Contains petroleum distillate, aspiration pneumonia is a potential hazard.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN OR IN EYES: Flush affected area with plenty of water. Contact a physician if irritation persists.

See also panel for additional precautions.

FAIRFIELD AMERICAN CORPORATION
 NET CONTENTS _____
 201 House #7 North, Rushford, N.J. 07070

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This ready-to-use insecticide may be dispersed through conventional thermal, mechanical or compressed air fogging or spraying equipment.

Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until sprays have dried.

To control Adult Mosquitoes And Gnats: Apply as a fog of fine mist at a rate of 1 to 3 gallons per acre (1.1 to 2.2 fluid ounces per 1000 square feet), filling the entire area with vapor. For best results, treat when the wind velocity does not exceed 5 miles per hour. Application in the evening or early morning is recommended. Treat area thoroughly with particular attention to low or marshy locations, shore lines, stagnant pools or ponds and vegetation where mosquitoes may rest. Repeat treatment as necessary, usually once or twice per week. Using mobile or truck-mounted equipment, the above application rate will result when traveling at a speed of 5 m.p.h. if a 300 foot wide swath is treated with insecticide dispersed at a rate of from 69 to 138 gallons per hour.

Flies And Moths, Outdoors: Fill area with fog or mist to kill flies and small flying moths (millers). Repeat treatment as necessary, usually once or twice a week.

Temporary Reduction Of Annoyance: The aforementioned applications for *Mosquitoes, Gnats, Flies And Moths* will afford temporary reduction of annoyance from these pests in public gathering places such as parks and open sports stadia. Application should be made prior to attendance.

Ants, Spiders, Crickets, Roaches, And Box-lder Bugs: To control crawling insects, direct a coarse spray at the insects and infested areas applying enough to wet the surface without any run-off of the spray. Repeat after 2 to 4 weeks, or as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.



PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, kuler's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and local procedures.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing of fog or mist. Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water except as specified on this label. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ACCEPTED
 FEB 08 1989
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended by the pesticide reform act of 1974
 EPA Reg. No. 4816-584

CODE 72391

PHL 18- 48/6-584 pg 191

ALLEVIATE[®] MALATHION MOSQUITO FOGGING INSECTICIDE

EPA Reg No. 4816-584

EPA Est. No. 279-NY-1

DIRECTIONS FOR USE

- For Outdoor Fogging Application around Residences, Parks, Playgrounds, Golf Courses, Municipalities, Drive-In Theaters and Restaurants.
- Kills Mosquitoes, Gnats, Flies and Moths
- As a Contact Spray Indoors or Outdoors Kills Ants, Roaches, Spiders, Crickets, and Boxelder Bugs. Use as a Spot Surface Application avoiding any Contact with Food or Food Products

ACTIVE INGREDIENTS:

dl allethrinone d trans chrysanthemate	0.050%
Related Compounds	0.004%
*Piperonyl Butoxide, Technical	0.125%
**Malathion Technical	2.000%
***INERT INGREDIENTS:	97.821%
	100.000%

*Equivalent to 0.10% (butylcarbityl)(6 propylpiperonyl) ether and 0.025% related compounds.

**O,O dimethyl phosphorodithioate of diethyl mercaptosuccinate

***Contains Petroleum Distillate

ALLEVIATE - Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center immediately. Do not induce vomiting. Contains petroleum distillate, aspiration pneumonia is a potential hazard.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN OR IN EYES: Flush affected area with plenty of water. Contact a physician if irritation persists.

See side panel for additional precautions.

FAIRFIELD AMERICAN CORPORATION
NET CONTENTS
201 Route 17 North, Rutherford, N.J. 07070

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This ready-to-use insecticide may be dispersed through conventional thermal, mechanical or compressed air fogging or spraying equipment.

Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until sprays have dried.

To control Adult Mosquitoes And Gnats: Apply as a fog of fine mist at a rate of 1 to 3 gallons per acre (1.1 to 2.2 fluid ounces per 1000 square feet), filling the entire area with vapor. For best results, treat when the wind velocity does not exceed 5 miles per hour. Application in the evening or early morning is recommended. Treat area thoroughly with particular attention to low or marshy locations, shore lines, stagnant pools or ponds and vegetation where mosquitoes may rest. Repeat treatment as necessary, usually once or twice per week. Using mobile or truck-mounted equipment, the above application rate will result when traveling at a speed of 5 m.p.h. if a 300 foot wide swath is treated with insecticide dispersed at a rate of from 69 to 138 gallons per hour.

Flies And Moths, Outdoors: Fill area with fog or mist to kill flies and small flying moths (millers). Repeat treatment as necessary, usually once or twice a week.

Temporary Reduction Of Annoyance: The aforementioned applications for *Mosquitoes, Gnats, Flies And Moths* will afford temporary reduction of annoyance from these pests in public gathering places such as parks and open sports stadia. Application should be made prior to attendance.

Ants, Spiders, Crickets, Roaches, And Boxelder Bugs: To control crawling insects, direct a coarse spray at the insects and infested areas applying enough to wet the surface without any run off of the spray. Repeat after 2 to 4 weeks, or as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or food by storage and disposal.



PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, luffa's or similar material. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and local procedures.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing of fog or mist. Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water except as specified on this label. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

ACCEPTED
FEB 08 1989
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended (FIFRA)

CODE 72391

4816-584