

CODE 723.51

ALLEVIATE[®] MOSQUITO FOGGING SPRAY

EPA Reg. No. 481-255 EPA Est. No. 20-51-1
Ready-to-use oil based Allethrin insecticide
Designed for outdoor fogging
Acceptable for indoor use

ACTIVE INGREDIENTS

Allethrin (Allyl Homolog of Ciperin I).....	0.025%
Related Compounds.....	0.600%
*Piperonyl Butoxide, Technical.....	2.600%
Petroleum Distillate.....	97.365%
	100.000%

*Equivalent to 1.6% (n-butylcarbityl) 6-propylpiperonyl ether and 0.4% related compounds.

INDOOR USE

To control mosquitoes, flies, gnats and other flying insects. Before pets, cover fish aquaria and close windows and doors. Fill the room with mist, using one ounce per 1000 cubic feet of space. Keep room closed for 10 minutes. Vapors during treatment and ventilate before reoccupying.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned, with potable water, before using. Do not apply outdoors when conditions favor drift from intended area of treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Use only as directed and do not contaminate lakes, streams or ponds by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional cautions.

ALLEVIATE - Registered Trademark of Fairfield American Corporation

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control adult mosquitoes apply as a fog or fine mist using good mechanical, thermal or compressed air equipment. For best results, treat when wind velocity does not exceed 5 miles per hour. Application in the evening or early morning is recommended.

Treat area thoroughly with particular attention to low and marshy places, shore lines, stagnant pools or ponds and shrubbery or vegetation where mosquitoes may rest. Apply at a rate of 20 fluid ounces per acre (0.5 fluid ounces per 1000 square feet).

Using truck mounted or mobile equipment the above application rate will result if a 300 foot swath is laid down traveling at 5 m.p.h. and dispersing spray at a rate of 28 gallons per hour. May also be applied by aircraft.

NET CONTENTS _____

BATCH _____

Made in U.S.A.



CODE 723.51

481-255