

ALLEVIATE® SMALL ANIMAL & KENNEL INSECTICIDE

EMULSIFIABLE CONCENTRATE

EPA REG. NO. 4816 586
EPA REG. NO. 279 NY 1

For Control of Ticks, Fleas, Lice and Ear
Mites on Dogs and Cats

Protects Against Chiggers, Eye Gnats, Biting
Flies and Mosquitoes

Insecticidal ingredients of this concen-
trate are highly and rapidly effective against
insects. This concentrate is designed for di-
lution with water at specified rates for use
on animals or in kennels as a space, surface,
fogging spray or as a dip.

ACTIVE INGREDIENTS:

1/1 allethrolone d-trans chrysanthemate 1.18%

Related Compounds 0.00%

*Piperonyl Butoxide, Technical 11.15%

**INERT INGREDIENTS: 86.89%

*Equivalent to 9.47% (n-butylcarbitol) (6-propyl-
piperonyl) ether and 2.37% related compounds.

**Contains Petrolatum, Methyl Cellulose

KEEP OUT OF REACH OF CHILDREN

CAUTION

See package for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this
product in a manner inconsistent with its
labeling.

Dilutions of this concentrate should be made
shortly before use in the quantity needed for
the individual application. Water dilutions
should not be kept for future use.

For rapid control of ticks, fleas and lice
on cats and dogs, sponge solution on thor-
oughly wetting skin over entire animal or dip
the animal. Do not rinse; allow solution
to remain on animal. In cases of heavy tick
infestations on long-haired cats or dogs,
dilute 1 fluid ounce of concentrate to 11
fluid ounces with water (2 tablespoons of
concentrate in 1 1/2 cups water) or 12 fluid
ounces (24 tablespoons) of concentrate in
one gallon of water.

Mist Spray: Dilute this concentrate at the
rate of 7 fluid ounces in 1 gallon of water
or 1 fluid ounce of concentrate in 18 fluid
ounces of water.

For rapid control of ticks, fleas and lice
using a mist spray. To insure thorough cover-
age, part the fur by stroking against the lay
of the hair as spray is applied. Spray ticks
directly. Apply to moisten the fur lightly.

To control spinose ear ticks and ear mites,
syringe the ears with a few drops of this
dilution so that it can penetrate the wax down
to the surrounding tissues. Repeat treatment
once or twice at 2 to 3 day intervals as neces-
sary. For temporary protection from mosquitoes,
eye gnats, biting flies and chiggers, apply to
cover the surface of the hair. Repeat treat-
ment as necessary when insects are troublesome.

Ticks are only an occasional pest of cats. This
product will control ticks on cats should they
occur.

To Control Insects in Kennels and Animal Quar-
ters

Dilute at the rate of 13 fluid ounces in 1
gallon of water or 2 fluid ounces in 18 fluid
ounces of water.

Remove pets before treating area and ventilate
thoroughly before allowing them to re-enter
treated area.

For rapid element of fleas and ticks in kennels,
apply this dilution in a good machine adjusted
to deliver coarse droplets. Apply to the point
of entry with special attention to cracks and
crevices and other insect hiding places. Bed-
ding should be removed and sprayed thoroughly.

To control flies, mosquitoes and gnats in
kennels, apply this dilution in a good sprayer
adjusted to deliver a fine mist. Use at the rate
of approximately 1 ounce per 1000 cubic feet
of space. Fill the enclosed area with mist
wherever practical. Keep doors and windows
closed for 10 minutes or more after applica-
tion. Do not remain in treated areas and ventilate
after treatment is completed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room
temperature. Avoid exposure to extreme temperatures. In case of spill or leakage,
soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc.
Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be
used according to label instructions may be disposed of at or by an approved waste
disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or
reconditioning, or puncture and dispose of in a sanitary landfill, or by other
approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap
container on several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contamination of
feed, food and utensils. Avoid contamination
of food and utensils by keeping them well
covered while spraying the area. Remove pets,
birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of
lakes, streams or ponds. Do not contaminate
water by cleaning of equipment or disposal of

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Contact a Physician or Poison Control Center immediately. Do not
induce vomiting unless directed by a physician. Vomiting may cause a serious
burning.

If Inhaled: Remove affected person to fresh air. Apply artificial respiration if
needed.

If In Eyes: Flush with plenty of water. Contact a physician if taken seriously.

If On Skin: Remove contaminated clothing and wash affected areas of skin with
copious water.

NET CONTENTS:

Buyer assumes all risks of use, storage or
handling of this product not in strict ac-
cordance with directions given herewith.

**FAIRFIELD
AMERICAN
CORPORATION**

201 Route 17 North, Rutherford, N.J. 07070

Not Reviewed. For sale in accordance with
Phase 2
F.D.C.