

ALLEVIATE[®] SPACE SPRAY

pg. 1 of 1
PM 17
EPA #4816-591
CLF 1/3/90

A ready-to-use, oil-based insecticide for application in Mechanical, Thermal, or Compressed Air Fogging and ULV Equipment.

For Use in Residences, Office Buildings, Warehouses and in all types of Institutions and Food Processing, Handling or Storage Facilities

ACTIVE INGREDIENTS:

d/l-allethrolone d-trans	
chrysanthemate	0.30%
Related Compounds.....	0.03%
*Piperonyl Butoxide, Technical	2.40%
**INERT INGREDIENTS	97.27%
	100.00%

*Equivalent to 1.92% (butylcarbityl)(6-propyl-piperonyl) ether and 0.48% related compounds

**Contains Petroleum distillate

Keep Out of Reach of Children
CAUTION

See Reverse Side for Additional Precautions.

EPA Reg. No. 4816-591
EPA Est. No. 279-NY-1

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center. Do not induce vomiting unless directed by a physician. This product contains a high amount of petroleum distillate. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF IN EYES OR ON SKIN: Flush with plenty of water. Contact a physician if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This ready-to-use concentrate may be dispersed through good mechanical, thermal, or compressed air fogging or spraying equipment. If used in edible product areas of federally inspected meat, poultry, shell egg grading and egg product establishments, it must be dispersed as an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30% microns.)

SPACE TREATMENT: Close doors and windows and shut off ventilating systems. Apply as a fog or fine mist, distributing the spray throughout the area. Use at a rate of 1 ounce per 1000 cubic feet of space. Direct spray behind and under obstructions and contact crawling insects whenever possible. Keep area closed for 10 to 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary.

The above described application will kill accessible exposed stages of flies, (including fruit flies), mosquitoes, silverfish, small flying moths, gnats, crickets, cockroaches, spiders, wasps, hornets, clover mites, cheese mites, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, sawtoothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, Tobacco moths, meal worms, and grain mites.

SURFACE APPLICATION: To insure maximum control of crawling insects listed, apply as a coarse mist directed toward insects, into cracks, crevices, around machinery, around containers of stored products and other areas wherever these insects may hide. Repeat as necessary.

NET CONTENTS _____

BATCH _____

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperature. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, litter, earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS. CAUTION

Harmful if swallowed. Avoid contamination of feed or foodstuffs. The use of this product as a space spray in food processing plants should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Remove pets, birds and cover fish aquarium before spraying. In HOSPITALS, patients should be removed prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not use in undiluted form.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response. Page 2.12. Active in inert Change in Status.



FAIRFIELD
AMERICAN
CORPORATION
201 Rt. 17 North, Rutherford, NJ 07070