

ALLEVIATE®

SPACE SPRAY

EPA Reg. No. 4816 591

EPA Est. No. 279-NY-1

A READY-TO USE, OIL BASED INSECTICIDE FOR APPLICATION IN MECHANICAL, THERMAL, OR COMPRESSED AIR FOGGING AND ULV EQUIPMENT. FOR USE IN RESIDENCES, OFFICE BUILDINGS, WAREHOUSES AND IN ALL TYPES OF INSTITUTIONS AND FOOD PROCESSING, HANDLING OR STORAGE FACILITIES

ACTIVE INGREDIENTS

d1 allethrolone d trans chrysanthemate 0.33%
Piperonyl Butoxide, Technical 2.40%

**INERT INGREDIENTS 97.27%
100.00%

*Equivalent to 1.92% (butylcarbityl) (6-propylpiperonyl) ether and 0.48% related compounds

**Contains Petroleum Distillate

† This product is not for use in USDA inspected meat and poultry plants.

ALLEVIATE- Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a Physician or Poison Control Center immediately. This product contains a high amount of petroleum distillate. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF IN EYES OR ON SKIN: Flush with plenty of water. Contact a physician if irritation persists. Get medical attention if irritation persists.

See side panel for additional precautions



FAIRFIELD
AMERICAN
CORPORATION

201 ROUTE 17 NORTH, RUTHERFORD, NJ 07070

72161 050730

NET CONTENTS _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This ready-to-use concentrate may be dispersed through good mechanical, thermal, or compressed air fogging or spraying equipment.

SPACE TREATMENT: Close doors and windows and shut off ventilating systems. Apply as a fog or fine mist, distributing the spray throughout the area. Use at a rate of 1 ounce per 1000 cubic feet of space. Direct spray behind and under obstructions and contact crawling insects whenever possible. Keep area closed for 10 to 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary.

The above described application will kill accessible exposed stages of *Flies*, (including *Fruit Flies*), *Mosquitoes*, *Silverfish*, *Small Flying Moths*, *Gnats*, *Crickets*, *Cockroaches*, *Spiders*, *Wasps*, *Hornets*, *Clover Mites*, *Cheese Mites*, *Cheese Skippers*, and these common stored product pests: *Granary Weevils*, *Rice Weevils*, *Confused Flour Beetles*, *Sawtoothed Grain Beetles*, *Spider Beetles*, *Cigarette Beetles*, *Drugstore Beetles*, *Angoumois Grain Moths*, *Mediterranean Flour Moths*, *Indian Meal Moths*, *Tobacco Moths*, *Meal Worms* and *Grain Mites*.

SURFACE APPLICATION: To insure maximum control of crawling insects listed, apply as a coarse mist directed toward insects, into cracks, crevices, around machinery, and around containers of stored products.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dis-

CODE 72161

pose of in a sanitary landfill, or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Avoid contamination of feed and foodstuffs. The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Food should be removed or covered in such a way as to prevent contamination during treatment. Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse after treatment. Remove pets, birds and cover fish aquarium before spraying. In hospitals, patients should be removed prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not use in undiluted form.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

4816-591

CODE 72161