

CODE 72630

TETRALATE® 0.25-0.25 INSECTICIDE SPRAY

EPA Reg. No. 4616-599 EPA Est. No. 279-NY-1

Designed for use in all areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs. Areas include: Homes, Schools, Hospitals, Motels, Hotels, Stores, Supermarkets, Theaters, Institutions and Other Public Buildings; also in Warehouses, Trucks, Railcars, Restaurants, Food Processing Plants, Bakeries, Grain Mills, Breweries, Bottling Plants, Food Handling Plants and milk handling areas of milk, cheese and ice cream plants.

ACTIVE INGREDIENTS

Tetramethrin	0.250%
Related compounds	0.034%
**Resmethrin	0.250%
Related Compounds	0.046%
***INERT INGREDIENTS	59.420%
	100.000%

*1-cyclohexene-1,2-dicarboximidomethyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate
**Cis/trans isomers ratio: max. 30% (+/-) cis and min. 70% (+/-) trans.
U.S. Patent No. 3,456,007
***Contains Petroleum Distillate

TETRALATE - Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See side panel for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

A combination of localized application and space treatment is recommended for maximum insect control.

Flying Insects: To control house flies, fruit flies, mosquitoes, small flying moths, gnats, wasps and hornets, Close all doors and windows and shut off ventilating systems. Use a mechanical, thermal or compresses air sprayer adjusted to deliver a fine mist. Direct the spray toward the upper parts of the room and other enclosures and fill it with mist. Use 1 ounce of spray for each 1000 cubic feet of space. Keep the room closed for at least 15 minutes after spraying. Vacate the area after treatment and ventilate it thoroughly before reoccupying.

Crawling Pests: To control cockroaches, silverfish, crickets, earwigs

and clover mites. Apply with a machine adjusted to deliver a coarse droplet spray. Spray infested areas thoroughly and direct the liquid behind baseboards, moldings, cabinets, shelves, sinks, door frames, window frames, pipes and into drains, dark corners, cracks, crevices, recesses and similar hiding places or contact the insects wherever possible. Repeat the treatment if reinfestation occurs.

Against Ant infestations: Treat shelves, cabinets and other storage areas. Spray the ant runs or trails and baseboards. Spray directly into cracks, crevices and under carpets where insects may be found. Treat the underside and topside of infested carpets. Spray inside of trunks, closets and infested areas of shelving.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Caution: Avoid breathing of vapor or contact with skin. Avoid contact with eyes. If in eyes, flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed; contains petroleum distillates. If swallowed, do not induce vomiting because of the possibility of aspiration. Get medical attention: Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas ventilate the area after treatment is completed.

Do not apply as a space spray while food processing is underway. Food should be removed or covered before treatments. Thoroughly wash all food processing surfaces before reuse. In Federally inspected meat and poultry plants, all surfaces in processing areas must be washed and rinsed in potable water after spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting unless directed by a physician.

Contains Petroleum Solvent. Call physician or poison control center at once.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, pot holes). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY

9 5 3