

65
37 / 25
JUL 10 1990

Mr. Jan Brill
Fairfield American Corporation
809 Harrison Street
Franktown, NJ 08825

Dear Mr. Brill:

Subject: Tetralate 0.25 - 0.25 Insecticide Spray
EPA Registration No. 4816-599

The labeling referred to above, submitted in connection with
registration under the Federal Insecticide, Fungicide, and Rodenticide
Act, as amended, is acceptable. A stamped copy is enclosed for your
records.

Sincerely yours,



Phil Nutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

BEST AVAILABLE COPY

51263:I:A-4:Hollis:H-14:KENCO:6/26/89:7/26/90:dg:vo:sw:ek:dq

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

CODE 72670

JUL 10 1990

TETRALATE® 0.25-0.25 INSECTICIDE SPRAY

Labeling information subject
to change without notice
4816-599

EPA Reg. No. 4816-599 EPA Est. No. 279-NY-1

Designed for use in all areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspect Programs. Areas include: Homes, Schools, Hospitals, Hotels, Stores, Supermarkets, Theaters, Institutions and other Public Buildings; also in Warehouses, Trucks, Railcars, Restaurants, Food Processing Plants, Bakeries, Grain Mills, Breweries, Bottling Plants, Food Handling Plants and milk handling areas or milk, cheese and ice cream plants.

ACTIVE INGREDIENTS

Tetramethrin

0.25%

Related compounds

0.254%

**Resmethrin

0.250%

Related Compounds

0.046%

***INERT INGREDIENTS

99.450%

100.000%

BEST AVAILABLE COPY

*1-cyclohexene-1,2-dicarboximisoethyl 2,

2-dimethyl-1-(2-methylpropenyl) cyclopropanecarboxylate

**Cis/trans isomers ratio: max. 20% (+/-) cis and min. 70% (+/-) trans.

U.S. Patent No. 3,456,207

***Contains Petroleum Distillate

TETRALATE - Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See side panel for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

A combination of localized application and space treatment is recommended for maximum insect control.

Flying Insects: To control house flies, fruit flies, mosquitoes, small flying moths, gnats, wasps and hornets, Close all doors and windows and shut off ventilating systems. Use a mechanical, thermal or compresses air sprayer adjusted to deliver a fine mist. Direct the spray toward the upper parts of the room and other enclosure and fill it with mist. Use 1 ounce of spray for each 100 cubic feet of space. Keep the room closed for at least 15 minutes after spraying. Vacate the area after treatment and ventilate it thoroughly before reoccupying.

Crawling Pests: To control cockroaches, silverfish, etc., use

and clover mites. Appl. with a machine or power sprayer or with a droplet spray. Spray infested areas thoroughly and liberally. Spray behind baseboards, moldings, cabinets, shelves, under doors, under window frames, pipes and into cracks. If a corner is likely to be in recesses and similar hiding places or contact the insects where possible. Repeat the treatment if reinfestation occurs.

Against And infestations: Treat spiders, scorpions, and other arachnids. Spray the ant runs or trails and cassette for ants. Spray into cracks, crevices and under carpets and other coverings. Treat the underside and topside of infested carpets. Lower inside of trunks, closets and infested areas of clothing.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND PROCEDURES: Store containers at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide spray mixture or residue which cannot be used according to label instructions must be disposed of or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse and repeat step. Then either recycle or recondition, or puncture and dispose of in a sanitary landfill, or by other approved method and in accordance with local, state, and federal regulations.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION


Caution: Avoid breathing of vapor or contact with skin. Avoid contact with eyes. If in eyes, flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed; contains petroleum distillates. If swallowed, do not induce vomiting because of the possibility of aspiration. Get medical attention. Keep away from birds and cover fish aquariums before spraying. Do not use in or on treated areas ventilate the area after treatment is completed.

Do not use as a space spray with food processing animals. Food should be removed or covered before treatment. Thoroughly wash all food processing surfaces before reuse. In Federally regulated meat and poultry plants, all surfaces in processing area must be washed and rinsed in potable water after spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Get medical attention.

BEST AVAILABLE COPY



7.4

Contains Petroleum Solvent. Call physician or poison control center at once.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, etc.). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

Buyer assumes all risks of use. Storage or handling of this material not in strict accordance with directions given herewith.

