## TETRALATE® 2.5-2.5 MAG

r application as a space, area or ray. Dependent upon pests to be troiled and the area to be treated, may be applied with Mechanical Aerosol Generators (ULV) or conventional apraying equipment.

USE AREAS:

Food Processing Plants Norse Barns Mospitals

Motels Industrial Installations Truck Trailers Notels

Office Buildings Railroad Cars Restaurants Schools Supermarkets Marehouses Zoos

Kills exposed or accessible stages of:

Ants Boxelder Bugs 🚜 😸 Cockroaches Crickets Clover Mites Confused Flour Beetles Cigarette Beetles Cadelles

Drugstore Restles Carviga Fruit Flies

Granary Wesville

Crain Mites Houseflies-Indian Meal Moths Mosquitoes Mealworms Rice Weevils Red Flour Beetles Small Flying Moths Silverfish Spiders Saw-toothed Grain Beetles

Spider Reetles

ACRIVE INCREDIENTS: Tetramethrin 1-Cvclohexene-1, 2-dicarboximidomethyl-2, - 2-dimethyl-3-(methylpropenyl) cyclopropenecart@xylate .....2.302 

emethring 5-(phenylmethyl) -3-furewyl I methyl 2, 2-dimethyl-+3- (2-methyl-1-propenyl) cycloproponecarboxylere . . . . . . . . . . . . . 2.50%

Related Compounds Petrolom Distrilate ........90.002 100.007

tomer ration nam. 107(4) cie all Jes (1) trase

KEEP OUT OF REACH OF CHILDREN CAUTION

Harmful if swallowed. Avoid breathing of vapor or contact with skin. Avoid contact with eves.

See back panel for additional precautions.

TETRALATE - Registered trademark of Fairfield American Corporation

EPA Reg. No. 4816-600 EPA Est. No. 279-NY-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in assencer inconsistent with its labeling.

Flying Insects: For control of Rouseflies, mosquitoes, small flying moths, and gnats: Close all doors and windows and shut off ventilating systems. Use a mechanical serosol generator or a sprayer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 50% less than 30 microns). Use Sounce per 1000 cubic feet of space. For application with conventional spray equipment, dilute 1 part concentrate with 9 parts of oil and wir well. Apply at the rate of 1-2 ounces per 1000 cubic feet. Direct the spray toward the upper parks of the room or other enclosure and behind all obstructions. Vacate the area and keep it closed at least 15 minutes after spraying. Ventilete thoroughly before reoccupying.

Crawling Pests: To insure maximum control of exposed cockroaches, ents. silverfish, crickets. spiders, earwigs, boxelder bugs, clover mites, granary weavils, rice whevils, confused and red flour beetles, sawtoothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, Indian meal noths, mealworms, grain mites and cadelles: Dilute I part concentrate with 9 parts of insecticide base oil and aix well. Apply as a coarse droplet ; sy to thoroughly cover infested areas. t the spray sards, moldings, cabineus, shelves, minks, deor frames and pipes and into drains, dark

corners, cracks, crevices, recesses or other hiding places to contact the insects wherever possible. Forin-transit protection of coamodities, clean and spray truck beds, boxcars, and ships' holds before loading. Thoroughly treat walls and floors and lightly spray each

layer of cartons or other containers as they are stacked.

When using in animal quarters, do not apply directly to food, water or food supplements. Do not apply directly to animals or when they are present in the barns. In hospital, patients should be removed prior to treatment.

DEPOSAL

Do not reuse empty container. Wrap container in trash collection.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, ponds, tidal marshes and jestuaries. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where o' these are important resources.

PHYSICAL OR CHEMICAL HAZARDS

Do not your or spill near open fluis.

Precautionary Statements

Hazarde to Humans & Domestic Animals CAUTION

Harmful if swallowed or absorbed through skin, Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediateley flush eyes and skin with plenty of water. Get medical ettention if irritation persists.

Remove pets, hirds and cover fish equation **before s**pri

SEE REVERSE SIDE

COR MEDI John Sand Star Charles