

TETRALATE™ 2.5-2.5 MAG

CODE 72635

EPA Reg. No. 4816-a20 EPA Est. No. 279-NY-1

For indoor application as a space, area or contact spray. Dependent upon pests to be controlled and the area to be treated, may be applied with Mechanical Aerosol Generators (ULV) or conventional spraying equipment.

USE AREAS:

Food processing Plants
Homes
Horse Barns
Hospitals
Hotels
Industrial Installations
Motels

Office Buildings
Railroad Cars
Restaurants
Schools
Supermarkets
Truck Trailers
Warehouses
Zoos

Kills exposed or accessible stages of:

Ants
Boxelder Bugs
Cockroaches
Crickets
Clover Mites
Confused Flour Beetles
Cigarette Beetles
Caddisflies
Drugstore Beetles
Earwigs
Fruit Flies
Gnats
Granary Weevils

Grain Mites
Houseflies
Indian Meal Moths
Mosquitoes
Mealworms
Rice Weevils
Red Flour Beetles
Small Flying Moths
Silverfish
Spiders
Saw-toothed Grain Beetles
Spider Beetles

ACTIVE INGREDIENTS

*Tetramethrin
Related Compounds

**Resmethrin
Related Compounds

***INERT INGREDIENTS

2.50%
0.34%
2.50%
0.46%
4.20%
100.00%

BEST AVAILABLE COPY

*1-cyclohexene-1,2-dicarboxymidomethyl 2,2-dimethyl-3-(2-methylpropenyl), cyclopropanecarboxylate

**Cis/trans isomers ratio: max. 30% (+/-) cis and min. 70% (+/-) trans.

***Contains Petroleum Distillate

TETRALATE- Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN.

pg. 2015

CAUTION

See side panel for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Flying Insects: For control of Houseflies, Mosquitoes, Small Flying Moths, and Gnats: Close all doors and windows and shut off ventilating systems. Use a mechanical aerosol generator or a sprayer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Use 1/2 ounce per 1000 cubic feet of space. For application with conventional spray equipment, dilute 1 part concentrate with 9 parts of oil and mix well. Apply at the rate of 1-2 ounces per 1000 cubic feet. Direct the spray toward the upper parts of the room or other enclosure and behind all obstructions. Vacate the area and keep it closed at least 15 minutes after spraying. Ventilate thoroughly before reoccupying.

Crawling Pests: To insure maximum control of exposed Cockroaches, Ants, Silverfish, Crickets, Spiders, Earwigs, Boxelder Bugs, Clover Mites, Granary Weevils, Rice Weevils, Confused and Red Flour Beetles, Sawtoothed Grain Beetles, Spider Beetles, Cigarette Beetles, Drugstore Beetles, Indian Meal Moths, Mealworms, Grain Mites and Cadellies:

Dilute 1 part concentrate with 9 parts of insecticide base oil and mix well. Apply as a coarse droplet spray to thoroughly cover infested areas. Direct the spray behind corners, cracks, crevices, recesses or other hiding places to contact the insects wherever possible. For in-transit protection of commodities, clean and spray truck beds, boxcars, and ships' holds before loading. Thoroughly treat walls and floors and lightly spray each layer of cartons or other containers as they are stacked.

When using in animal quarters, do not apply directly to food, water or food supplements. Do not apply directly to animals or when they are present in the barns. In hospital, patients should be removed prior to treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or poison control center immediately. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas of skin with soap and water. Contact a physician if irritation persists.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes.) Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL & CHEMICAL HAZARDS

Do not pour or spill near open flame.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY