

BEST DOCUMENT AVAILABLE

ACCEPTED

MAR 04 1981

Under Federal Insecticide, Fungicide, and Rodenticide Act
Registered under EPA Reg. No. 4816-602

BAYGON[®] HOUSEHOLD INSECT RESIDUAL SPRAY 0.5%

Kills Flying and Crawling Insects

ACTIVE INGREDIENTS:

*2-(1-methoxyethoxy) phenol methylcarbamate	0.50%
Petroleum Distillate	69.00%
INERT INGREDIENTS:	30.50%
	100.00%

*BAYGON-Registered trademark of Farbenfabriken Bayer A.G. Chemagro Corporation Licensee

In addition to rapid initial kill, the spray deposit remains on the treated surfaces and kills indoor pests for many weeks after it has dried.

HOW TO USE:

Unlike most pressurized residual sprays, it provides a pencil-stream spray allowing the user to direct the spray to a distance of 6 feet. Cracks, crevices and hard-to-reach locations can be reached without bending, crawling, or climbing. Spray infested areas until surface is wet, moving the spray stream rapidly to prevent excessive wetting of surfaces and waste of material.

IMPORTANT--Hold Container Only in Upright Position to Spray. Shake well before each use. Direct spray away from face. Point spray away from people, plants, and pets. Do not allow children or pets on treated areas until spray is dry.

OUTDOOR USE:

Ants, clover mites, crickets, earwigs, fleas, hornets, millipedes, mosquitoes, sowbugs, wasps, and brown dog ticks: Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray hills and runways. For control of wasps and hornets, apply after dark when all of the insects have returned to the nest. Repeat as necessary. Do not spray vegetation.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS

**HAZAROUS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should also be avoided. Wash thoroughly after using. Avoid contamination of food, utensils, and food preparation areas. Should illness occur, get prompt medical aid. **NOTE TO PHYSICIAN:** Atropine sulfate is antidotal. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. When using in food processing plants, apply only in the inedible product areas where no exposed food or processing equipment is present, taking needed precaution to avoid contamination of packaged or stored commodities. Do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained. Avoid excessive wetting of plastic, rubber, and other surfaces such as tiles and floor coverings.

See Reverse Side

**Keep Out Of Reach Of Children
CAUTION**

See side panel for additional precautions

EPA Reg. No. 4816-602 EPA Fil. No. 229-NY-1

NET CONTENTS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product provides rapid kill of the insects listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides:

Ants	Mosquitoes
Brown Dog Ticks	Roaches
Clover Mites	Saw-toothed Grain
Crickets	Beetle (exposed stages)
Earwigs	Scorpions
Fleas	Silverfish
Flies	Sowbugs
Hornets	Spiders
Millipedes	Wasps

INDOOR USE:

Ants, Cockroaches, crickets, silverfish, spiders, scorpions, saw-toothed grain beetles (exposed stages), waterbugs: Spray into cracks, crevices, around baseboards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in around-waste containers. For ants, spray trails and places where ants enter premises. Repeat as needed. Do not spray foodstuffs or house plants. Remove pets and cover fish bowls before spraying. Do not allow children to contact treated surfaces. Dispose of infested foodstuffs.

BROWN DOG TICKS:

Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as needed. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of premises. Additionally treat pets with an EPA approved product registered for direct application to pets.




**FAIRFIELD
AMERICAN
CORPORATION**
3932 SALT ROAD
MEDINA, N.Y. 14103

4816-602

STATEMENT OF PRACTICAL TREATMENT

If In Eyes or On Skin: Flush with plenty of water and get immediate medical attention.

If Swallowed: If swallowed drink a glass of water and induce vomiting by touching finger to back of throat. Get medical attention.



CHEMICAL HAZARDS

Flammable. Contents under pressure.
Keep away from heat, sparks, and open flame.
Do not puncture or incinerate container.
Exposure to temperatures above 130°F may cause bursting.

BEST DOCUMENT AVAILABLE

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

BATCH

[Empty rectangular box for batch information]

