

4816-602

PM 12

1032

ACCEPTED
OCT 4, 1988
4816-602

PROPOXUR HOUSEHOLD INSECT RESIDUAL SPRAY 0.5%

ILLS FLYING AND CRAWLING INSECTS

ACTIVE INGREDIENTS:
42-(1-methoxy)phenol methyl-
carbamate..... 0.50%
+INERT INGREDIENTS..... 99.50%

contains petroleum distillate
This product contains the toxic inert
ingredient Methylene chloride

In addition to rapid initial kill, the
spray deposit remains on the treated
surfaces and kills indoor pests for many
weeks after it has dried.

HOW TO USE:
Unlike most pressurized residual sprays,
it provides a pencil-stream spray allow-
ing the user to direct the spray to a
distance of 6 feet. Cracks, crevices
and hard-to-reach locations can be
reached without bending, crawling, or
climbing. Spray infested areas until
surface is wet, moving the spray stream
rapidly to prevent excessive wetting of
surfaces and waste of material.

**IMPORTANT--Hold Container Only In Upright
Position to Spray.** Shake well before
each use. Direct spray away from face.
Point spray away from people, plants, and
pets. Do not allow children or pets on
treated areas until spray is dry.

INDOOR USE:
Ants, Cockroaches, crickets, silverfish,
spiders, scorpions, saw-toothed grain beetles
(exposed stages), waterbugs: Spray into
cracks, crevices, around baseboards, and other
places where these insects hide. Apply behind
and beneath cabinets, refrigerators, sinks,
stoves, and in aroundwaste containers. For
ants, spray trails and places where ants enter
premises. Repeat as needed. Do not spray
foodstuffs or house plants. Remove pets and
cover fish bowls before spraying. Do not allow
children to contact treated surfaces. Dispose
of infested foodstuffs.

BROWN DOG TICKS:
Spray sleeping quarters of pets, around
baseboards, window and door frames, wall cracks
and local areas of floors. Repeat as needed.
Old bedding of pets should be removed and re-
placed with clean, fresh bedding after treat-
ment of pet areas. Additionally treat pets
with an EPA approved product registered for

OUTDOOR USE:
Ants, clover mites, crickets, earwigs,
fleas, hornets, millipedes, mosquitoes,
sowbugs, wasps, and brown dog ticks:
Spray infested areas thoroughly including
outside surfaces of screens, doors, window
frames, foundations, patios, or other places
where insects may enter. For ants, spray
hills and runways. For control of wasps
and hornets, apply after dark when all of
the insects have returned to the nest.
Repeat as necessary. Do not spray vegetation.

DISPOSAL

Do not reuse empty container. Wrap container
and put in trash collection.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

May be harmful if swallowed, inhaled, or
absorbed through the skin. Avoid breathing
of spray mist and provide adequate ventilation
of area being treated. Contact with skin,
eyes, or clothing should also be avoided.
Wash thoroughly after using. Avoid contam-
ination of food, utensils, and food preparation
areas. Should illness occur, get prompt
medical aid. NOTE TO PHYSICIAN: Atropine
sulfate is antidotal. Do not use in edible
product areas of food processing plants,
restaurants or other areas where food is
commercially prepared or processed. Do not
use in serving areas while food is exposed.
When using in food processing plants, apply
only in the inedible product areas where no
exposed food or processing equipment is present,
taking needed precaution to avoid contamination
of packaged or stored commodities. Do not
apply to rugs, carpets, draperies, wallpaper,
or similar materials that may be stained.
Avoid excessive wetting of plastic, rubber,
and asphalt surfaces such as tiles and floor
coverings.

Keep Out Of Reach Of Children
CAUTION

See side panel for additional precautions

EPA Reg. No. 4816-602 EPA Est. No. 279-NY-1


NET CONTENTS

DIRECTIONS FOR USE

It is a violation of Federal law to use this
product in a manner inconsistent with its
labeling.

This product provides rapid kill of the insects
listed below, including those resistant to
certain chlorinated hydrocarbon and phosphate
insecticides.

- | | |
|-----------------|------------------------|
| Ants | Mosquitoes |
| Brown Dog Ticks | Roaches |
| Clover Mites | Saw-toothed Grain |
| Crickets | Beetle(exposed stages) |
| Earwigs | Scorpions |
| Fleas | Silverfish |
| Flies | Sowbugs |
| Hornets | Spiders |



**FAIRFIELD
AMERICAN**
CORPORATION
201 Rt 17 North
Rutherford NJ 07070

2062

STATEMENT OF PRACTICAL TREATMENT

If In Eyes or On Skin: Flush with plenty of water and get immediate medical attention.

If Swallowed: If swallowed drink a glass of water and induce vomiting by touching finger to back of throat. Get medical attention.

CHEMICAL HAZARDS

WARNING- Flammable. Contents under pressure. Do not use or store near heat or open flame. Do not smoke while using. Keep container away from stoves, radiators, or other hot surfaces. Do not place in direct sunlight. Temperatures exceeding 120°F may cause the container to burst.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

BATCH

--

20