

# PYRENONE<sup>®</sup> PET SPRAY

**KILLS FLEAS, TICKS, AND LICE ON DOGS AND CATS**

**AN EFFECTIVE FAST-ACTING INSECTICIDE**

**WATER BASED**

**ACTIVE INGREDIENTS:**

Pyrethrins.....	0.050%
*Piperonyl Butoxide, Technical....	0.500%
Petroleum Distillate.....	8.075%
INERT INGREDIENTS: .....	91.375%
	100.000%

\*Equivalent to 0.4% (butylcarbityl)(6-propyl-piperonyl) ether and 0.1% related compounds.

PYRENONE - A Registered trademark of  
Fairfield American Corporation

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
See rear panel for additional precautions.

EPA Reg. No. 4816-603  
EPA Est. No. 279-NY-1

**NET CONTENTS** \_\_\_\_\_

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**SHAKE WELL BEFORE USING**

Remove protective cap, hold container upright, nozzle away from you. With nozzle 10 to 12 inches away, direct spray over the animal, beginning at the tail, spray over the animal until the entire coat is damp up to the back of neck. On longhaired dogs and cats, ruffle the coat and spray against the lay of hair, spraying directly behind hand so that spray reaches skin. For best results in controlling tick infestations, locate ticks and spray directly on them. Avoid spraying face and genitals. An application of 30 to 45 seconds is equally sufficient for an average size dog, for cats about 15 seconds is adequate. Repeat application weekly if necessary.

**NOTE:** Do not treat or cause exposure of kittens or puppies less than four weeks old.

To control infestation in kennels, dog and cat quarters, after treating animal, immediately spray bedding, walls, floors, and other surfaces of flooring. Always remove infested animal before spraying in kennels or sleeping quarters.

**DISPOSAL**

Do not incinerate. Spray container and put in trash collection.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

Harmful if swallowed or inhaled. Avoid breathing of spray mist. Avoid contact with skin; wash thoroughly after use. Avoid contamination of feed and foodstuffs. Do not treat or cause exposure of kittens or puppies less than four weeks old.

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

**ACCEPTED** BATCH \_\_\_\_\_  
NOV 19 1980  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, or amended, for the pesticide registered under EPA Reg. No. 4816-603



**FA**  
**FAIRFIELD AMERICAN CORPORATION**  
3932 Salt Road  
Medina, New York 14103  
14

**BEST DOCUMENT AVAILABLE**