

PM-10

Reg # 4816-603

CODE 824.50

Pyrenone[®] PET SPRAY

181

KILLS FLEAS, TICKS, AND LICE ON DOGS AND CATS

AN EFFECTIVE FAST-ACTING INSECTICIDE

WATER BASED

ACTIVE INGREDIENTS

Pyrethrins.....	0.050%
*Piperonyl Butoxide, Technical.....	0.500%
**INERT INGREDIENTS:.....	99.450%
	100.000%

*Equivalent to 0.4% (butylcarbityl)(6-propyl-
pyperonyl) ether and 0.1% related compounds.

**Contains Petroleum Distillate
PYRENONE - A Registered trademark of
Fairfield American Corporation

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See rear panel for additional precautions

EPA Reg. No. 4816-603
EPA Est. No. 279-NY-1

NET CONTENTS _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright, nozzle away from you. With nozzle 10 to 12 inches away, direct spray over the animal, beginning at the tail, spray over the animal until the entire coat is damp up to the back of neck. On longhaired dogs and cats, ruffle the coat and spray against the lay of hair, spraying directly behind hand so that spray reaches skin. For best results in controlling tick infestations, locate ticks and spray directly on them. Avoid spraying face and genitalia. An application of 30 to 45 seconds is usually sufficient for an average size dog, for cats about 10 seconds is adequate. Repeat

NOTE: Do not treat or cause exposure of kittens or puppies less than four weeks old.

To control infestation in kennels or sleeping quarters, after treating animals as directed, spray bedding, walls, cracks, crevices, and flooring. Always remove infested bedding before spraying in kennels or sleeping quarters.

DISPOSAL

Do not incinerate. Wrap container and put in trash collection.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**





Harmful if swallowed or inhaled. Avoid breathing of spray mist. Avoid contact with skin; wash thoroughly after use. Avoid contamination of feed and foodstuffs. Do not treat or cause exposure of kittens or puppies less than four weeks old.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

ACCEPTED
SEP 22 1981
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 4816-603

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.



**FAIRFIELD
AMERICAN
CORPORATION**
3932 54th Road
Hickory, North Carolina 28601

CODE 824.50

BEST AVAILABLE COPY

Reg # 4816-603

PM-17

181

CODE 824.50

Pyrenone[®] PET SPRAY

KILLS FLEAS, TICKS, AND LICE ON DOGS AND CATS

AN EFFECTIVE FAST-ACTING INSECTICIDE

WATER BASED

ACTIVE INGREDIENTS

Pyrethrins.....	0.050%
*Piperonyl Butoxide, Technical.....	0.500%
**INERT INGREDIENTS:.....	99.450%
	<u>100.000%</u>

*Equivalent to 0.4% (butylcarbityl)(6-propyl-
siperonyl) ether and 0.1% related compounds.

**Contains Petroleum Distillate

PYRENOSE - A Registered trademark of
Fairfield American Corporation

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See rear panel for additional precautions

EPA Reg. No. 4816-603

EPA Est. No. 279-NY-1

NET CONTENTS _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright, nozzle away from you. With nozzle 10 to 12 inches away, direct spray over the animal, beginning at the tail, spray over the animal until the entire coat is damp up to the back of neck. On longhaired dogs and cats, ruffle the coat and spray against the lay of hair, spraying directly behind hand so that spray reaches skin. For best results in controlling tick infestations, locate ticks and spray directly on them. Avoid spraying face and genitalia. An application of 10 to 15 seconds is usually sufficient for an average size dog, for cats about 30 seconds is adequate. Repeat application at 30 second intervals.

NOTE: Do not treat or cause exposure of kittens or puppies less than four weeks old.

To control infestation in kennels or sleeping quarters, after treating animals as directed, spray bedding, walls, cracks, crevices, and flooring. Always remove infested bedding before spraying in kennels or sleeping quarters.

DISPOSAL

Do not incinerate. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

Harmful if swallowed or inhaled. Avoid breathing of spray mist. Avoid contact with skin; wash thoroughly after use. Avoid contamination of feed and foodstuffs. Do not treat or cause exposure of kittens or puppies less than four weeks old.






PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

BEST AVAILABLE COPY

ACCEPTED
SEP 22 1981
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4816-603

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.



**FAIRFIELD
AMERICAN
CORPORATION**

3932 Salt Road
Houston, Texas 77057

CODE 824.50