

# Code 720.20 Pyrenone M.A.G.C. 10-3.34 Continued

## OUTDOOR APPLICATION, DILUTED

**TO CONTROL MOSQUITO LARVAE:** Mix 18 ounces of Pyrenone M.A.G.C. 10-3.34 with sufficient oil to equal 50 gallons of diluted spray. Apply 20 to 25 gallons per acre. Apply as a coarse wetting spray to the border or on the shallow water of wet lands, swamps and marshes known to be infested with mosquito larvae.

**ANIMAL QUARTER USE (Cattle barns, horse barns, poultry houses, swine houses, zoos):** As a space spray, diluted for use in conventional mechanical fogging or spraying equipment.

To control:

- |                    |            |
|--------------------|------------|
| Flies              | Mosquitoes |
| Small flying noths | Gnats      |

Mix 6 ounces of Pyrenone M.A.G.C. 10-3.34 with sufficient oil to equal 1 gallon of diluted spray. Apply at the rate of 2 ounces per 1000 cubic feet of space above the animals. Direct spray towards the upper portions of the enclosure filling the room with mist. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment if reinfestation occurs. In zoos, avoid exposure of reptiles to this product.

## PROTECT ANIMALS

To protect against:

- |            |             |
|------------|-------------|
| Horn flies | House flies |
| Mosquitoes | Gnats       |

Mix 5 ounces of Pyrenone M.A.G.C. 10-3.34 with sufficient oil to equal 1 gallon of diluted spray. Apply a light mist sufficient to wet the tips of the hair on beef and dairy cattle, horses and dogs.

To protect against:

- |              |             |
|--------------|-------------|
| Stable flies | Horse flies |
| Beer flies   |             |

Apply the above dilution at 2 ounces per adult beef cattle, dairy cattle and horses to suitably wet the hair, but not to soak the side. Repeat this application once or twice daily or as needed to give continued protection.

To control the nettle stages of blood sucking lice on beef and dairy cattle, apply the dilute spray to thoroughly wet the hair. Use two ounces or less per animal and repeat every 2 to 4 weeks as required.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE AND SPILL PROCEDURES:** Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed. Remove pets, birds and cover fish aquariums before spraying. Do not breathe spray mist. Wear mask or respirator of a type recommended by the United States Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash exposed skin surfaces with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Do not apply as a space spray while food processing is underway. Except in Federally inspected meat and poultry plants, when applied as a surface spray with care and in accordance with the directions and precautions given above food processing operations, may continue. Do not apply at any time as an undiluted space spray in edible product areas of Federally inspected meat and poultry plants. Foods should be removed or covered before treatments. All surfaces in processing areas must be washed and rinsed in potable water after spraying.

When using in animal quarters, do not apply directly to food, water or food supplements. Wash teats of dairy animals before milking.

## STATEMENT OF PRACTICAL TREATMENT

**If Swallowed:** Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed to by a physician. Aspiration is a potential hazard.

**If in Eyes:** Flush with plenty of water. Contact a physician if irritation persists.

**If on Skin:** Wash affected areas with plenty of soap and water.

**If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes or estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

## PHYSICAL OR CHEMICAL HAZARDS

Do not pour or spill near open flame.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

**BEST AVAILABLE COPY**

BATCH  
[ ]