

Pg 1023

PM 17

EPA# 4816-617

CLF 12/31/89

SYNTHRIN[®] MULTI-PURPOSE INSECTICIDE

CODE 72611

EPA Reg. No. 4816-617 EPA Est. No. 279-NY-1

For use in food handling establishments, commercial food plants, industrial offices, homes, warehouses, hospitals and trucks.

ACTIVE INGREDIENTS:

*Resmethrin 0.350%

Related Compounds 0.048%

INERT INGREDIENTS: 99.602%

100.000%

**Cis/trans isomers ratio: max. 30% (+/-) cis and min. 70% (+/-) trans.

**Contains Aromatic petroleum hydrocarbons

SYNTHRIN- Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See side panel for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR INDOOR USE:

In food areas of food handling establishments, commercial, industrial, office, residential, public, institutional and storage buildings, homes, hotels, ships' cabins, and hospitals. In hospitals patients should be removed prior to treatment. Also for use in buses, automobiles, trucks, boxcars, and ships' cargo holds. Do not use on electrical equipment or on surfaces that can be harmed or stained by water. Also for use indoors in dog kennels and horse stables. In horse stables no for application if horses will be used for food.

CONTACT SPRAY:

Kills and Reduces infestation of Cockroaches, Crickets, Silverfish and Ants.

Apply as a contact spray. Fill the spray tank with insecticide. Keep spray nozzle about 6 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse wet spray. When possible, spray directly on pests to reduce infestations. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards, and storage areas. Apply spray until area is moist, but not to the point of run-off. Spray directly on insects where possible. Repeat as necessary.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

(1)

BEST AVAILABLE COPY

Ants: To kill ants, spray trails, nests and points of entry within buildings and homes, Spray on ants where possible. Repeat as necessary.

Fleas: Aids in the control of fleas on pet bedding. Hold spray nozzle about 18 inches from areas to be treated. Apply spray until area is moist. Treat bed bedding the same way. Also spray entire inside of surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, cats, and horses with a registered flea control product before they re-enter the treated area.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with skin or clothing. May cause eye irritation. Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray on humans or pets. Do not spray where food or drink is exposed or being consumed. Do not use in serving areas while food is exposed. Food should be removed or covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation. In the home, cover all food processing surfaces during the treatment or thoroughly clean before using. Cover or remove all exposed food before treatment.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Induce vomiting by sticking finger in back of throat or by administration of syrup of ipecac. Get medical attention.
IF IN EYES: Flush with plenty of water for 15 minutes. If irritation develops or persists, get medical attention.
IF ON SKIN: Wash with plenty of soap and water. If irritation

BEST AVAILABLE COPY

develops, get medical attention.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes.) Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY