DRIONE®II Insecticide

A DESICANT DUST

-ONG LASTING CONTROL FOR UP TO SIX MONTHS

OR USE IN RESIDENTS, INSTITUTIONS, FOOD LANTS, MOTELS, THEATERS, SCHOOLS, TRUCK RAILERS, BOXCARS, HOSPITALS, OFFICE UILDINGS AND HOTELS

CONTROLS ANTS, COCKROACHES, IND SILVERFISH.

CTIVE INGREDIENTS:

Pyrethrins										0.103
*Piperonyl	Buto	xi.	de,	Te	chr	1is	:a1	١.		1.00%
Petroleum	Dist	11	lati	٠.						58.90%
Silica Gel										40.00%
									•	100.00\$

Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.

KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautionary statements.

EPA Reg. No. 4876-323 EPA-Est. No. 379-NY-1 'DRICNE - Registered Trademark of Fairffeld

American Corporation

NET CONTENTS:

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its laveling.

NON FOOD AREAS:

Homes, institutions, hospitals, office buildings, warehouses, hotels, motels, theaters, schools, truck trailers, and railroad cars: To control crawling insects including ants, cockroaches, silverfish, pilibugs, and millipedes, apply a continuous visible film underneath and behind stoves, refrigerators, and appliances. Treat on, around and behind moldings, shelves, baseboards, pipe openings, cracks, cravices and other areas where insects may hide. Do not use on surfaces that come into direct contact with food. For severe Infestations, apply this product behind cabinets and walls, in crawl spaces and in attics at the rate of 16 ounces per 1000 square feet of surface area. In animal quarters, distribute this not contaminate water by cleaning of equipment product at the rate of 3 ounces per 100 square feet of surface area. Repeat treatment as necessary.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING **ESTABLISHMENTS:**

Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry processing plants, hotals, motels, hospitals, and schools: Limited to crack and crevice treatment only. Using a bulbous or similar duster, apply a small amount of material directly into cracks, crevices such as expansion 'oints between different elements of construction or between equipment bases and the floor, wall, voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where roaches, ants, silverfish, spiders and crickets hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Repeat treatment as necessary.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND C.EVICE TREATHENT ARE NOT PERMITTED

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

> PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS **CAUTION**

Avoid inhalation. Containers larger than one pound may not be used or stored in food handling establishments.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do E or disposal of wastes. Apply this product only as specified on this label.

Buyer assumes all risks of use, storage or handling of this material not in strict accordunce with directions given herewith.

